

Database of Steel and Alloy (Marochnik)

splav.kharkov.com/en

[Home](#) [European steel grades](#) [Steel and Alloy](#) [Search](#) [Equivalent grades](#) [Grading](#) [GOST Standard](#) [Contacts](#)

YOU HERE: [Steel and Alloy](#) -> [Aluminium alloy](#)

Characteristics for grade ADoch (АДоч).

Grade :	ADoch (АДоч)
Classification :	Technical aluminium
Equivalent grades:	Go here

Chemical composition in % for grade ADoch (АДоч)

Fe	Si	Ti	Al	Cu	Zn	Impurity
max 0.005	max 0.005	max 0.002	min 99.98	max 0.003	max 0.003	other, each 0.001; all 0.02

Equivalent steels for grade ADoch (АДоч)

Warning! Indicated both exact and nearest equivalents.

USA	Germany	European
-	DIN, WNr	EN
AA1199	3.0385 Al99.98R	ENAW-1199

Database of steels and alloys (Marochnik) contains information about chemical composition and properties more than 2500 steels and alloys (stainless steel, alloy steel, carbone steel, structural steel, tool steel, cast iron, aluminum alloy, titanium alloy, copper alloy, nickel alloy, magnesium alloy and others).
Helpfull for specialists in grade technology, structural engineer, mechanical engineer, metallurgy and metal trader

[Top](#)

© 2003 - 2013 All rights reserved. [About program.](#)

The entire risk as to use of the Database of Steel and Alloy (Marochnik) content is assumed by you the user

