

Database of Steel and Alloy (Marochnik)

splat.kharkov.com/en

[Home](#) [European steel grades](#) [Steel and Alloy](#) [Search](#) [Equivalent grades](#) [Grading](#) [GOST Standard](#) [Contacts](#)

YOU HERE: [Steel and Alloy](#) -> [Tool steel](#)

Characteristics for grade U13A (Y13A).

Grade :	U13A (Y13A)
Classification :	Carbon tool steel
Equivalent grades:	Go here

Chemical composition in % for grade U13A (Y13A)

C	Si	Mn	Ni	S	P	Cr	Cu
1.26 - 1.34	0.17 - 0.33	0.17 - 0.28	max 0.2	max 0.018	max 0.025	max 0.2	max 0.2

Temperature of critical points for grade U13A (Y13A).

$Ac_1 = 730$, $Ac_3(Ac_m) = 830$, $Ar_1 = 700$, $Mn = 190$

Mechanical properties under T=20°C for grade U13A (Y13A)

Assortment	Dimension	Direct.	σ_B	σ_T	δ_5	ψ	KCU	Heat treatment
-	mm	-	MPa	MPa	%	%	kJ / m ²	-
Band annealed	0.08 - 3		900					

Brinell hardness for U13A (Y13A) (annealing) ,	HB 10 ⁻¹ = 217 MPa
--	-------------------------------

Physical properties for grade U13A (Y13A)

T	E 10 ⁻⁵	α 10 ⁶	λ	ρ	C	R 10 ⁹
Grade	MPa	1/Grade	Watt/(m·Grade)	kg/m ³	J/(kg·Grade)	Ohm·m
20				7800		

Equivalent steels for grade U13A (Y13A)

Warning! Indicated both exact and nearest equivalents.

Japan	France	Italy	Bulgaria	Hungary	Poland	Czechia
JIS	AFNOR	UNI	BDS	MSZ	PN	CSN
SK1	C140E3U	C140KU	U13A	S131 S132	N13E	19255

Specification :

Mechanical properties :

σ_B - Tensile strength , [MPa]

σ_T	- Yield stress , [MPa]
δ_5	- Specific elongation at fracture , [%]
ψ	- Reduction of area , [%]
KCU	- Impact strength , [kJ / m ²]
HB	- Brinell hardness , [MPa]

Physical properties :

T	- Test temperature , [Grade]
E	- Young modulus , [MPa]
α	- Coefficient of linear expansion (range 20° - T) , [1/Grade]
λ	- Thermal (heat) condition coefficient , [Watt/(m·Grade)]
ρ	- Density , [kg/m ³]
C	- Specific heat (range 20° - T) , [J/(kg·Grade)]
R	- Electrical resistance , [Ohm·m]

Database of steels and alloys (Marochnik) contains information about chemical composition and properties more then 2500 steels and alloys (stainless steel, alloy steel, carbone steel, structural steel, tool steel, cast iron, aluminum alloy, titanium alloy, copper alloy, nickel alloy, magnesium alloy and others).
Helpfull for specialists in grade technology, structural engineer, mechanical engineer, metallurgy and metal trader

[Top](#)

© 2003 - 2013 All rights reserved. [About program.](#)

The entire risk as to use of the Database of Steel and Alloy (Marochnik) content is assumed by you the user

