

# Bibliography

- Air Force Aero Propulsion Laboratory (1977): "Gas Lubricated Foil Bearing Development for Advanced Turbomachines", Report AF APL-TR-76-114, Vol. I and II.
- ASTM, B23 (1990): ASTM Standards, ASTM Philadelphia, Vol. 02.04, pp. 9–11.
- Allaire, P. E., and Flack, R. D. (1980): Journal Bearing Design for High Speed Turbomachinery. Bearing Design – Historical Aspects, Present Technology and Future Problems. W. J. Anderson (editor). ASME publication, New York, pp. 111–160.
- Amin J., Friedland B., and Harnoy, A. (1997): "Implementation of a Friction Estimation and Compensation Technique" IEEE Control Systems, Vol. 17, No. 4, pp. 71–76.
- Anderson, W. J., Fleming, D. P., and Parker, R. J. (1972): "The Series-Hybrid Bearing – A New High-Speed Bearing Concept", ASME Trans. J. of Lubrication Technology, Series F, Vol. 94, No. 2, pp. 117–124.
- Anderson, W. J. (1973): "High Speed Hybrid Bearing, A Fluid Bearing and Rolling Bearing Connected in Series", U. S. Patent No. 3,759,588.
- Armstrong-Hélovry, B. (1991): "Control of Machines with Friction", Kluwer Academic Publishers, Boston, Massachusetts.
- Arsenius, H. C., and Goran R. (1973): "The Design and Operational Experience of a Self Adjusting Hydrostatic Shoe Bearing for Large Size Runners", Instn. Mech. Engrs. C303, pp. 361–367.
- Avila, F., and Binding, D. M. (1982): "Normal and Reverse Squeezing Flows", Journal of Non-Newtonian Fluid Mechanics, 11, pp. 111–126.
- Bamberger, E. N., (1983): "Status of Understanding of Bearing Materials" Tribology in the '80s. Vol. 2, NASA CP-2300-VOL-2, Editor: W. F. Loomis, pp. 773–794.
- Barus, C., (1893): "Isothermals, Isopiestic, and Isometrics Relative to Viscosity". Amer. Journal of Science, Vol. 45, pp. 87–96.
- Bassani, R. and Piccigallo, B. (1992): Hydrostatic Lubrication, Elsevier.
- Barwell, F. T. (1979): Bearing Systems, Principles and Practice, Oxford University Press.
- Bell, R., and Burdekin, M., (1969): "A Study of the Stick-Slip Motion of Machine Tool Feed Drives", Inst. of Mech. Engr. 184, 29, pp. 543–560.
- Blau, J. P. (1992): ASM Handbook, Friction, Lubrication, and Wear Technology, Vol. 18, ASM International.
- Blau, J. P. (1995): "Friction Science and Technology", Marcel Dekker, Inc. NY.
- Booker, J. F. (1965): "A Table of the Journal-Bearing Integrals", J. Basic Eng., Vol. 87, no. 2, pp. 533–535
- Booser, E. R., Ryan, F., and Linkinhoker, C. (1970): "Maximum temperature for hydrodynamic bearings under steady load", Lubrication Engineering, Vol. 26, pp. 226–235.

- Booser, E. R. (1992): "Bearing materials", Encyclopedia of Chemical Technology, 4th Ed. Vol. 4, John Wiley, pp. 1–21.
- Bowden, F. P., and Tabor, D. (1956): Friction and Lubrication, John Wiley.
- Bowden, F. P., and Tabor, D. (1986): The Friction and Lubrication of Solids, Oxford Science Press, England.
- Brewe, D. E., and Hamrock, B. J. (1977): Simplified Solution for Elliptical Contact Deformation Between Two Elastic Solids. *J. Lubr. Technol.*, Vol. 99, no. 4, pp 485–487.
- Brough, D., Bell, W. F., and Rowe, W. B. (1980): "Achieving and monitoring high rate centerless grinding," Proc. of 21 Int. Con. on Machine Tool Design and Research, University of Swansea.
- Charnley, J. (1979): "Low Friction Arthroplasty of the Hip", Springer-Verlag, pp. 1–376.
- Chiu Y. P., Pearson, P. K., and Daverio, H. (1995): "Fatigue Life and Performance Testing of Hybrid Ceramic Ball Bearings" *Lubrication Engineering*, Vol, 52, No. 3, pp. 198–204.
- Cole, J. A., and Hughes C. J. (1956): Oil Flow and Film Extent in Complete Journal Bearings, *Proc. Inst. Mech. Engrs. (London)*, Vol. 170, no. 17.
- Coleman, B. O., and Noll, W. (1960): "An Approximation Theorem for Functionals with Applications in Continuum Mechanics", *Arch. Tat. Mech. Anal.* Vol. 6, p. 355.
- Cooke, A. F., Dowson, D., and Wright, V. (1978): "The Rheology of Synovial Fluid and Some Potential Synthetic Lubricants." *Engineering and Medicine*, Vol. 7, pp. 66–72.
- Crankshaw, E., and Menrath, J. (1949): Mechanical Features of Steel-Backed Bearings, Sleeve Bearing Materials, American Society of Materials, pp. 150–164.
- Dahl, P. R. (1968): "A Solid Friction Model", AFO 4695-67-C-D158, The Aerospace Corporation, El Segundo, California.
- Dahl, P. R. (1977): "Measurement of Solid Friction Parameters of Ball Bearings", Proc. of 6th Annual Symp. On Incremental Motion, Control Systems and Devices. Champaign, IL, May 24–27.
- Decker O. and Shapiro, W. (1968): "Computer-Aided Design of Hydrostatic Bearings for Machine Tool Applications", Proc. of 9th Int. Con. on Machine Tool Design and Research, University of Birmingham, pp. 797–839.
- Deutschman, A. D., Michels W. J., and Wilson C. E. (1975): Machine Design Theory and Practice, Macmillan Publishing Co. NY.
- Donaldson, R. R. and Patterson, S. R. (1983): "Design and Construction of a Large Vertical Axis Diamond Turning Machine," Lawrence Livermore, preprint UCRL 89738.
- Dowson, D., and Higginson, G. R. (1966): *Elastohydrodynamic Lubrication, The Fundamentals of Roller and Gear Lubrication*. Pergamon, Oxford.
- Dowson, D. and Zhong-Min Jin (1986): "Micro-Elastohydrodynamic Lubrication of Synovial Joints." *Engineering in Medicine*, Vol. 5 (No. 2), pp. 63–65.
- Dowson, D. (1992): *ASM Handbook, Friction, Lubrication, and Wear Technology*, Vol. 18, ASM International, pp. 656–662.
- Dowson, D. (1998): "Advances in Medical Tribology", Mechanical Engineering Publications Limited, London.
- Dubois, G. B., and Ocvirk, E. W. (1953): "Analytical Derivation and Experimental Evaluation of Short Bearing Approximation for Full Journal Bearings," NASA Report 1157.

- Dubois, G. B., Ocvirk, E. W., and Wehe, R. L. (1960): "Study of Effect of a Non-Newtonian Oil on Friction and Eccentricity Ratio of a Plain Journal Bearing," NASA TN D 427.
- Dupont, P. E., and Dunlap, E. (1993): Friction Modeling and Control in Boundary Lubrication, Proc. American Control Conference, AACC, San Francisco, CA, pp. 1915–1919.
- Earles, L. L., Palazzolo, A. B., and Armentrout, R. W. (1989): "A Finite Element Approach to Pad Flexibility Effects in Tilt Pad Journal Bearings," ASME/STLE Tribology Conference, Oct. 17–18, 1989, Fort Lauderdale, Florida.
- Ernst, H., and Merchant, M. E. (1940): "Chip Formation, Friction and Finish," Cincinnati Milling Machine Co. Report, Aug. 24, 1940.
- FAG (1986): "Rolling Bearing and their Contribution to the Progress of Technology", p. 191.
- FAG (1998): "The Design of Rolling Bearing Mountings", Publication No. WL 00 200/5 EA.
- FAG (1999): "FAG Rolling Bearing Catalogue", WL 41520/3 EA.
- Fisher T. E., and Tomizawa, H. (1985): "Interaction of Tribochemistry and Microfracture in the Friction and Wear of Silicon Nitride", *Wear*, Vol. 105, p. 29.
- Gibson, H. (2001): "Lubrication of Space Shuttle Main Engine Turbopump Bearings", *Lubrication Engineering*, Vol. 57, no. 8, pp. 10–12.
- Girard, L. D., (April 1851): *Comptes Rendus*, Vol. 28.
- Gluck, T. (1891): *Arch Klin Chir.* Vol. 41, p. 186.
- Grimm, R. J. (1978): *AIChE J.* Vol. 24 No. 3, p. 427.
- Hamrock, B. J., and Anderson, W. J. (1973): Analysis of an Arched Outer-Race Ball Bearing Considering Centrifugal Forces. *J. Lubr. Technol.*, Vol 95, no. 3, pp. 265–276.
- Hamrock, B. J., and Brewe, D. E. (1983): "Simplified Solution for Stresses and Deformations", *J. Lubr. Technol.*, Vol. 105, no. 2, pp. 171–177.
- Hamrock, B. J., and Dowson, D. (1977): Isothermal Elastohydrodynamic Lubrication of Point Contact, part III—Fully Flooded Results, *J. of Lubrication Technology*, Vol. 98, no. 3, pp. 375–383.
- Hamrock, B. J., and Dowson, D. (1981): *Ball Bearing Lubrication – The Elastohydrodynamics of Elliptical Contacts*. Wiley-Interscience, New York.
- Hamrock, B. J. (1994): *Fundamentals of Fluid Film Lubrication*, McGraw-Hill Inc. NY.
- Harnoy, A. (1966): "Composite Bearing-Rolling Element with Hydrodynamic Journal," M.S thesis, Technion, Israel Inst. of Technology.
- Harnoy, A. (1974): "The Effects of Stress Relaxation and Cross Stresses in Lubricants with Polymer Additives", CNRS publication, No. 233, pp. 37–44.
- Harnoy, A., and Hanin, M. (1974): "Second Order, Elastico-Viscous Lubricants in Dynamically Loaded Bearings", *ASLE Transactions*, Vol. 17, pp. 166–171.
- Harnoy, A., and Philippoff, W. (1976): "Investigation of Elastico-Viscous Lubrication of Sleeve Bearing", *ASLE Transactions*, Vol. 19, pp. 301–308.
- Harnoy, A. (1976): "Stress Relaxation Effect in Elastico-Viscous Lubricants in Gears and Rollers", *Journal of Fluid Mechanics*, Cambridge U.K., Vol. 19, pp. 501–517.
- Harnoy, A. (1977): "Three Dimensional Analysis of the Elastico-Viscous Lubrication of Journal Bearings", *Rheologica Acta*, Vol. 16, pp. 51–60.

- Harnoy, A. (1978): "An Investigation into the flow of Elastico-Viscous Fluids Past a Circular Cylinder", *Rheologica Acta*, Vol. 26, pp. 493–498.
- Harnoy, A. (1978): "An Analysis of Stress Relaxation in Elastico-Viscous Fluid Lubrication of Journal Bearings", *ASME Transactions, Journal of Lubrication Technology*, Vol. 100, pp. 287–295.
- Harnoy, A. (1979): "The role of the Fluid Relaxation Time in Laminar Elastico-Viscous Boundary Layers", *Rheologica Acta*, Vol. 18, pp. 220–216.
- Harnoy, A. (1987): "Squeeze Film Flow of Elastic Fluids at Steady Motion and Dynamic Loads", *ASME Transactions, Journal of Tribology*, Vol. 109, pp. 691–695.
- Harnoy, A., and Sood, S. S. (1989): "Viscoelastic Effects in the Performance of Dynamically Loaded, Short Journal Bearings," *ASME Transactions, Journal of Tribology*, Vol. 111, pp. 555–556.
- Harnoy, A. (1989): "Normal Stresses and Relaxation Effects in Viscoelastic Boundary Layer Flow Past Submerged Bodies." *Journal of Rheology*, Vol. 33, pp. 93–117.
- Harnoy, A., and Zhu, H. (1991): "The Role of the Elasticity of the Lubricant in Rotor Dynamics," *Tribology Transactions*, Vol. III, No. 4, pp. 353–360.
- Harnoy, A., and Rachoor, H. (1993): "Angular-Compliant Hydrodynamic Bearing Performance Under Dynamic Loads," *ASME, Transaction, Journal of Tribology*, Vol. 115, pp. 342–347.
- Harnoy, A., Friedland, B., Semenock, R., Rachoor, H., and Aly, A. (1994): "Apparatus for Empirical Determination of Dynamic Friction," *Proceedings of ACC Conference, Baltimore, Maryland, June 29–July 1, 1994*, Vol. 1, pp. 545–550.
- Harnoy, A., and Friedland, B. (1994): "Dynamic Friction Model of Lubricated Surfaces for Precise Motion Control," *Tribology Transactions*, Vol. 37, No. 3, pp. 608–614.
- Harnoy, A., and Friedland, B., and Rachoor, H. (1994): "Modeling and Simulation of Elastic and Friction Forces in Lubricated Bearings for Precise Motion Control," *Wear, J. of science and Technology, Oxford UK*, vol. 12, p.p. 155–165.
- Harnoy, A. (1995): "Model Based Investigation of Friction During the Start-up of Hydrodynamic Journal Bearings," *ASME Transactions, Journal of Tribology*, Vol. 117, pp. 667–672.
- Harnoy, A. (1996): "Simulation of stick-slip in control systems," *Tribology Transactions*, Vol. 40, pp. 360–366.
- Harnoy, A., and Khonsari, M. M. (1996): "Hydro-Roll: A Novel Bearing Design With Superior Thermal Characteristics," *Tribology Transactions*, Vol. 39, No. 2, pp. 455–461.
- Harnoy, A. (1996): "Simulation of Stick-Slip in Control Systems", *Tribology Transactions*, Vol. 40, pp. 360–366.
- Harris, T. A. (1984): *Rolling Bearing Analysis*. John Wiley, New York.
- Hertz, H. (1881): *The Contact of Elastic Solids*. *J. Reine Angew Math.*, Vol. 92, pp. 156–171.
- Heshmat, H., Shapiro, W., and Gray, S. (1982): Development of Foil Journal Bearings for High Load Capacity and High Speed Whirl Stability, *Trans ASME, J. Lub. Tech.*, pp. 149–156.
- Hess, D. P, and Soom, A., (1990): "Friction at a Lubricated Line Contact Operating at Oscillating Sliding Velocities", *ASME Transactions, Journal of Tribology*, Vol. 112, pp. 147–152.

- Higginson, G. R. (1978): "Elastohydrodynamic Lubrication in Human Joints." *Engineering in Medicine*, Vol. 7 (No. 1), pp. 35–41.
- Hodgekinson, F. (1923): "Improvements relating to lubrication of bearings," *British Pat.* 18595.
- Horowitz, H. H., and Steidler, F. E. (1960): "The Calculated Journal Bearing Performance of Polymer Thickened Lubricants," *ASLE Trans.*, Vol. 3, p. 124.
- Hosang G. W., Heshmat, H. W. (1987): "Result and Design Techniques from the Application of Ceramic Ball Bearings to the MREADCOM 10 kW Turbine", *AIAA, SAE, ASME, ASEE, 23rd Joint Propulsion Conference*, June 29–July 2, 1987, San Diego.
- Jones, A. B. (1946): "New Departure Engineering Data; Analysis of Stresses and Deflections". Vols. I and II, General Motors, Inc., Detroit, Michigan.
- Jones, W. R. et al. (1975): "Pressure-viscosity Measurements for Several Lubricants", *ASLE Trans.*, Vol. 18, no. 4, pp. 249–262.
- Judet, J., and Judet, R. (1950): "The Use of an Artificial Femoral Head for Arthroplasty of the Hip Joint", *J. Bone Joint Surg.*, Vol. 32B, p. 166.
- Kaufman, H. N. (1980): "Tribology; Friction, Lubrication and Wear" Szeri, A. Z., Hemisphere, pp. 477–505.
- Kennedy, F. E., Booser, E.R., and Wilcock, D. F. (1998): "Tribology, Lubrication, and Bearing Design," *Handbook of Mechanical Engineering* CRC Press, Boca Raton, FL.
- Kher, A. K., and Cowley, A. (1967): "The Design and Performance Characteristic of a Capillary Compensated Hydrostatic Journal Bearing", *Proc. of 8th Int. Con. on Machine Tool Design and Research*, University of Birmingham, pp. 397–418.
- Khonsari, M. (1987): "A Review of Thermal Effects in Hydrodynamic Bearings, Part I and II", *ASLE Trans.*, pp. 19–26.
- Kingsbury, G. R. (1997): "Oil Film Bearing Materials", *Tribology, Data Handbook*, CRC Press, Boca Raton, FL, pp. 503–525.
- Leider, P. J., and Bird, R. B. (1974): "Squeezing Flow Between Parallel Disks. I. Theoretical Analysis. II. Experimental Results," *Ind. Eng. Fundam.*, Vol. 13, pp. 336–346.
- Licht, L. (1972): The Dynamic Characteristics of a Turborotor Simulator on Gas-Lubricated Foil Bearings, *ASME Trans.*, *J. Lub. Tech.*, Vol. 94, pp. 211–222.
- Loewy, K., Harnoy, A., and Bar-Nefi, S. (1972): "Composite Bearing, Rolling Element with Hydrodynamic Journal", *Israel Journal of Technology*, Vol. 10, pp. 271–278.
- Ludema, K. C. (1996): *Friction, Wear, Lubrication*, CRC Press, Boca Raton FL.
- Lundberg, G., and Palmgren, A. (1947): Dynamic Capacity of Rolling Bearings. *Acta Polytech., Mech. Eng. Ser.*, Vol. 1, no. 3 (Stockholm) pp. 6–9.
- Mahoney, O. M., and Dimon, J. H. (1990): "Unsatisfactory Results With a Ceramic Total Hip Prosthesis." *Journal of Bone and Joint Surgery*, Vol 72A, p 663.
- McKee, S. A. (1928): "The Effect of Running-In on Journal Bearing Performance", *Mech. Eng.*, Vol. 50, pp. 528–533.
- McKee, S. A., and McKee, T. R. M. (1929): "Friction of Journal Bearings as Influenced by Clearance and Length", *Trans. Am. Soc. Mech. Eng.*, Vol. 51, pp. 161–171.
- McKee, G. K., and Watson-Farrar, J. (1966): "Replacement of the Arthritis Hips by the McKee-Farrar Prosthesis" *J. Bone Joint Surg.*, Vol. 48B (No. 2), p. 245.

- McKee, G. K. (1967): "Developments of Total Hip Replacement", *Proc. Inst. Mech. Engr.* Vol. 181, pp. 85–89.
- McKellop, H., Clarke, I., Markolf, K., and Amstutz, H. (1981): "Friction and Wear Properties of Polymer, Metal, and Ceramic Prosthetic Joint Materials Evaluated on a Multichannel Screening Device." *Journal of Biomedical Materials Research*, Vol. 15, p 619–653.
- Mirra, J. M., Amstutz, H. C., Matos, M., and Gold, R. (1976): "The Pathology of Joint Tissues and its Clinical Relevance in Prosthesis Failure", *Clin. Orthop.*, Vol 117, pp. 221–240.
- Moore, A. T. (1959): "The Moore Self-Locking Vitallium Prosthesis in Fresh Femoral Neck Frames. A New Low Posterior Approach", *Am Acad. Orthoped. Surg.*, Vol. 16, p. 166.
- Mukherjee, A., Bhattacharyya, R., Rao Dasary, A. M. (1985): "A Theoretical Study of Stability of a Rigid Rotor Under the Influence of Dilute Viscoelastic Lubricants", *ASME Transactions, J. of Lubrication Technology*, Vol. 107, pp. 75–81.
- Mukherjee, A., Bhattacharyya, R., Rao Dasary, A. M. (1984): "A Theoretical Inquiry into the Molecular Origin of Harnoy's Idea for Constitutive Relations for Viscoelastic Lubricants at High Shear rates", DSC Thesis I.I.T., ME Dept., Kharagpur 72130, India.
- Mutoh, Y., Tanaka, K., and Uenohara, M. (1994): Retainer-Dependent Wear of Silicone Nitride Bearings at High Temperatures, *ASME Transactions, Journal of Tribology* Vol. 116, pp. 463–469.
- Norton, R. L. (1996): *Machine Design. An Integrated Approach*, Prentice-Hall.
- Nolan, J. F., and Phillips, H. (1996): "Joint Replacement and Particulate Wear Debris." *Lancet*, 348 (9031), pp. 839–840.
- Ogawa, H., and Aoyama, T. (1991): "Application of the Advanced Ceramics to Sliding Guideways: Friction Wear Characteristics Under Water Based Lubrication" *PED* Vol. 54, *TRIB* Vol. 2, *Tribological Aspects in Manufacturing*, ASME, pp. 51–60.
- Okrent, E. H. (1961): "The Effect of Lubricant Viscosity and Composition on Engine Friction and Bearing Wear," *ASLE Trans.*, Vol. 4, p. 97, and Vol. 7, 1964, p. 147.
- O'Kelly, J., Unsworth, A., Dowson, D., Jobbins, B., and Wright, V. (1977): "Pendulum and Simulator for Studies of Friction in Hip Joints." *Evaluation of Artificial Joints*, Ed. D. Dowson and V. Wright, *Biological Engineering Society*, pp. 19–29.
- Oldroyd, J. G. (1959): *Proc. Roy. Soc. A*, 245, pp. 278–297.
- Opitz, H. (1967): Pressure pad bearings, *Proc. Inst. of Mech. Engrs., Lubrication and Wear*, London.
- Orndorff, R. L., and Tiedeman, C. R. (1977): "Water-Lubricate Rubber Bearings, History and New Developments," *Society of Naval Architects and Marine Engineers*, San Diego, pp. 49.
- Pan, P., and Hamrock, B. J. (1989): Simple Formulae for Performance Parameters Used in Elastohydrodynamically Lubricated Line Contacts, *J. of Tribology*, Vol. 111, no. 2, pp. 246–251.
- Pappas, J. M., Schmidt, A. C., Shanbhag, A. S., Whiteside, T. A., Rubash, H. E., Herndon, J. H. (1996): "Biological Response to Particulate Debris from Nonmetallic Orthopedic Implants", *Human Biomaterials Applications*, Humana Press, Totowa, NJ, pp. 115–135.
- Peterson, M. B., and Winer, W. O., Eds. (1980): *Wear Control Handbook*, ASME, NY.
- Pinkus, O. and Sternlicht, B. (1961): *Theory of Hydrodynamic Lubrication*, McGraw-Hill.

- Polycarpou, A., and Soom, A. (1995): "Two dimensional Models of Boundary and Mixed Friction of a Line Contact", ASME J. of Tribology, Vol. 117, pp. 178–184.
- Polycarpou, A., and Soom, A. (1996): "A Two Component Mixed Friction Model for a Lubricated Line Contact", ASME J. of Tribology, Vol. 117, pp. 178–184.
- Prager, W. (1961): "An Elementary Discussion of Definitions of Stress Rate", Quart. Appl. Math. Vol. 18, p. 403.
- Rabinovitz, E. (1951): "The Nature of the Static and Kinematic coefficient of Friction", J. of Applied Physics, Vol. 22, no. 1, pp. 668–675.
- Rabinowicz, E. (1965): Friction and Wear of Materials, John Wiley, NY.
- Rachoor, H. and Harnoy, A. (1996): "Modeling of Friction in Lubricated Line Contacts for Precise Motion Control," Tribology Transactions, Vol. 39, pp. 476–482.
- Raimondi, A. A., and Boid, J. (1954): An Analysis of Capillary Compensated Hydrostatic Journal Bearings. Westinghouse Research Laboratories, paper No. 60-94451-8-PI.
- Raimondi, A. A., and Boyd, J. (1955): Applying Bearing Theory to the Analysis and Design of Pad-Type Bearing. ASME Trans., Vol. 77, No. 3, pp. 287–309.
- Raimondi, A. A., and Boid, J. A. (1958): Solution for the Finite Journal Bearing and its Application to Analysis and Design, Part III, ASLE Transactions, Vol. 1, no. 1 pp. 159–209.
- Rumberger, J. H. and Wertwijn, G. (April 1968): "Hydrostatic Lead Screws", Machine Design, pp. 218–224.
- Reiner, M., Hanin, M., and Harnoy, A. (1969): "An Analysis of Lubrication with Elastico-Viscous Liquid", Israel Journal of Technology, Vol. 7, pp. 273–279.
- Reynolds, O. (1886): "On the Theory of Lubrication and its Application to Mr. Beauchamp Tower's Experiments, Including an Experimental Determination of the Viscosity of Olive Oil," Phil. Trans. Roy. Soc., London, Vol. 177, Part I, pp. 157–234.
- Rightmire, G. K., (1969): "On Rubber to Metal Bonding Techniques with Reference to Compliant Surface Bearings," Technical report No. 10, Columbia University, Nov. 15, ONR Contract Nonr-4256 (06).
- Rivlin, R. S., and Ericksen, J. L. (1955): "Stress Deformation Relations for Isotropic Materials", J. Rat. Mech. Anal. Vol. 4, p. 323.
- Roach, A. E., Goodzeit, C. L. and Hunnicutt, R. P. (1956): "Scoring Characteristics of 38 Different Elemental Metals in High-Speed Sliding Contact with Steel," Trans. Am. Soc. Mech. Engrs., Vol. 78, pp. 1659–1667.
- Roelands, C. J. A. (1966): "Correlational Aspects of the Viscosity-Temperature-Pressure Relationship of Lubricating Oils", Druk, V. R. B., Groingen, Netherlands.
- Robertson, W. S. (1984): Lubrication in Practice, Marcel Dekker, NY.
- Rowe, W. B. (1989): "Advances in Hydrostatic and Hybrid Bearing Technology." Proc. Inst. of Mech. Engrs., pp. 225–241.
- Rowe, W. B. (1967): "Experience with Four Types of Grinding Machine Spindle," Proc. 8th Int. Conf. on Machine Tool Design and Research, Manchester University, pp. 453–476.
- Savage, M. W., and Bowman, L. D. (1961): "Radioactive Tracer Measurements of Engine Bearing Wear", ASLE Trans., Vol. 4, p. 322.
- Scribber, W. H., Winn, L. W., and Eusepi, M. (1976): "Design and Evaluation of a 3 Million DN Series-Hybrid Thrust Bearing", ASME Trans., J. of Lubrication Technology, pp. 586–595.

- Sharma, C., and Szycher, M. (1991): "Blood Compatible Materials and Devices", Technomic Publishing Company, Inc., Lancaster.
- Shigley, J. E., and Mitchell, L. D. (1983): *Mechanical Engineering Design*, 4th ed. McGraw-Hill, New York.
- Silver, A. (1972): "Hybrid Bearing", U.S. patent No. 3,642,331, Feb 15.
- SKF, (February 1992): "Bearing Installation and Maintenance Guide, Includes Shaft and Housing Fits", Publication No. 140-710.
- Sommerfeld, A. (1904): Zur Hydrodynamischen Theories der Schmiermittelreibung. *Z. Angew. Math. Phys.*, Vol. 50, pp. 97-155.
- Stribeck, R. (1902): "Die wesentlichen Eigenschaften der Gleit- und Rollenlager (The Important Qualities of Sliding and Roller Bearings)", *Zeitschrift des Vereines Deutscher Ingenieure*, 46, (39), pp. 1432-1437.
- Suriano, F. J., Dayton R. D., and Woessner, F. G., (1983): Test Experience with Turbine-End Foil-Bearing-Equipped Gas Turbine Engines, ASME, Paper 83-GT-73.
- Sus, D. (1984): "Relaxations und Normalspannungseffekte in der Quetschströmung", *Rheologica Acta*, Vol. 23, pp. 489-496.
- Szeri, A. Z. (1980): "Tribology; Friction, Lubrication and Wear", Hemisphere. pp. 47-55.
- Szeri, A. Z. (1998): "Fluid Film Lubrication", Cambridge University Press.
- Tafazoli, S., De Silva, C. W., and Lawrence, P. D. (1994): "Friction Estimation in a Planar Electrohydraulic Manipulator", *Proc. American Control Conference*. Baltimore, MD. June 29-July 1.
- Taylor, G. I. (1923): "Stability of a Viscous Liquid Contained Between two Rotating Cylinders", *Philos. Trans. Royal Society, London, Series A*, Vol. 223, pp. 289-343.
- Tichy, J. A., and Winer, W. O. (1978): "An Investigation into the Influence of Fluid Viscoelasticity in a Squeeze Film Bearing," *ASME Trans. Journal of Lubrication Tech.*, Vol. 100, pp. 56-64.
- Tichy, J. A. and Modest, M. F. (1980): "A Simple Low Deborah Number Model for Unsteady Hydrodynamic Lubrication, Including Fluid Inertia", *Journal of Rheology*, Vol. 24, pp. 829-845.
- Trygg, B., and McIntyre, B. (1982): "Hydrostatic Shoe Bearing Eliminates Problems for Large Mills", *CIM Bulletin*, pp. 105-109.
- Tomizawa, H., and Fisher T. E. (1987): "Friction and Wear of Silicon Nitride and Silicon Carbide in Water: Hydrodynamic Lubrication at Low Sliding Speed Obtained by Tribochemical Wear" *STLE Trans.*, Vol. 30, p. 41.
- Tower, B. (1885): "Second Report on Friction Experiments," *Proc. Inst. Mech. Engrs.*, Vol. 36, pp. 58-70.
- Ueki, M. (1993): "R&D on Functional Structural Ceramics (Application to Sliding Parts)", *Nippon Steel Technical Report*, No. 59, October 1993.
- Underwood, A., F. (1949): *The Selection of Bearing Materials, Sleeve Bearing Materials*, American Society for Metals, pp. 210-222.
- Unsworth, A., Dowson, D., Wright, V., and Koshal, D. (1974): "The Frictional Behavior of Human Synovial Joints - Part II: Artificial Joints." *Trans. ASME, Journal of Lubrication Technology*, Vol. 97 (No. 3), pp. 377-382.
- Unsworth, A., Percy, M. J., White, E. F. T., and White, G. (1988): "Frictional Properties of Artificial Hip Joints." *Engineering in Medicine*, Vol. 17, (No. 3), pp. 101-104.

- Valenti, M. (Dec. 1995): "Upgrading Jet Turbine Technology", Mechanical Engineering, Vol. 56.
- Wang, Q., Cheng, H. S., Fine, M. E., (1994): "Frictional Behavior of Some Nitrogen Ceramics in Conformal Contact with Tin Coated Al-Si Alloy, Steel and MMC", Tribology Transactions, Vol. 37, pp. 587–593.
- Walter, A., and Plitz, W. (1984): "Wear Mechanism of Alumina-Ceramic Bearing Surfaces of Hip-Joint Prosthesis." Biomaterials and Biomechanics, Elsevier, Amsterdam, pp. 55–60.
- White, F. M. (1999): "Fluid Mechanics", WCB/McGraw-Hill, p. 215
- Wilcock, D. F., and Booser, E. R. (1957): Bearing Design and Application, McGraw-Hill.
- Wilcock, D. F., and Winn, L.W. (1973): "Hybrid Boost Bearing Assembly", U.S patent No. 3,708,215.
- Wiles, P. (1957): "The Surgery of the Osteo-Arthritic Hip", British J. Surgery, Vol. 32B, p. 488.
- Willert, H. G., and Semelitch, M. (1977): "Reactions of the Articular Capsule to Wear Products of Artificial Joint Prostheses", J. Biomed. Mater. Res., Vol 11, pp 157–164.
- Willert, H. G., and Semelitch, M. (1976): "Tissue Reaction to Plastic and Metallic Wear Products of Joint Endoprostheses in Total Hip Prosthesis", Williams and Wilkins, Baltimore, pp. 205–239.
- Williams, D. (1982): Biocompatibility of Orthopedic Implants. Vol. 1 and 2. CRC Press, Boca Raton.
- Zaretzky, E. V. (1989): "Ceramic Bearings for Use in Gas Turbines", ASME Trans., Journal of Gas Turbines and Power, Vol. 111, pp. 146–157.
- Zaretzky, E. V. (1997a) "Tribology for Aerospace Applications" STLE Publication SP-37, pp. 231–232.
- Ibid (1997b): pp. 325–237.
- Ibid (1997b): pp. 345–391.
- Zhai, X., Needham, G., and Chang, L. (1997): "On the Mechanism of Multi-Valued Friction in Unsteady Sliding Line Contacts Operating in the Regime of Mixed-Film Lubrication." ASME Trans., J. of Tribology, Vol. 119, pp. 149–155.