

<u>Index terms</u>	<u>Links</u>		
absolute measurements	18.3		
absolute transmissibility	30.1	30.6	30.11
accelerated test	20.15		
acceleration:			
definition of	1.16		
transducers for measuring	12.4		
vibration	1.26		
acceleration pulse	31.16		
acceleration response	2.10		
acceleration time-histories:			
complex	23.7	23.9	24.3
decaying sinusoidal	23.7	23.9	
equivalent static	23.12		
half-sine	23.5	23.7	
impulse	23.6	23.7	
peak	23.22		
step	23.7	23.18	
acceleration transmissibility	30.15		
accelerometers	16.4		
amplitude linearity of	12.11		
characteristics of	12.10		
cross-axis sensitivity of	12.11		
definition of	1.1		
effects of environment on	12.14		
effects of humidity on	12.14		
effects of noise on	12.14		
effects of size on	12.15		
effects of weight on	12.15		
force-balance type	12.37		
frequency range of	12.12		
high-frequency limit of	12.13		
low-frequency limit of	12.12		
operating range of	12.12		
phase shift in	12.13		
piezoelectricity (<i>see piezoelectric accelerometers</i>)			
preamplifiers for	13.1		
reliability of	12.22		
resolution of	12.10		
sensitivity of	12.10	13.2	
servo-type	12.37		
survivability of	12.9		
transverse sensitivity of	12.11		
variable-capacitance	12.38		
zero shift in	12.9		
(<i>See also piezoelectric transducers</i>)			
acceptance test	20.5		

<u>Index terms</u>	<u>Links</u>		
acronyms	1.5		
activated vibration absorbers	6.38		
active environment	32.5		
active fraction of critical damping	32.20		
active vibration isolation systems	32.16		
actuator (<i>see vibration exciter</i>)			
A/D conversion (<i>see analog-to-digital conversion</i>)			
A/D recorders	13.13		
Admittance; mechanical (<i>See also mechanical mobility</i>)	12.30		
aerodynamic excitation	29.21	29.54	
air guns	26.7		
air springs	32.13		
aliasing	14.13	22.16	27.7
almost-periodic vibrations	22.5		
ambient vibration; definition of	1.16		
American National Standards Institute	19.1		
American Petroleum Institute	38.23		
American Society for Testing and Materials	19.1		
amplification ratio	12.21		
amplitude	1.7		
amplitude demodulation	14.38		
analog	1.16		
analog recorders	13.11		
analog-to-digital converters	13.13	22.16	
	27.6		
analogy, definition of	1.12		
analysis, matrix methods	27.11	28.1	
analysis, transient	23.1		
by finite element method	28.39		
by statistical energy analysis	11.31		
analytical modeling procedures:			
classical	20.7	29.56	
finite element method	28.29	41.18	
statistical energy analysis	11.18		
analytical tests	20.4		
ANCI	19.1		
angular frequency	1.7	1.17	2.3
angular mechanical impedance	1.16		
anti-aliasing filters	13.14	14.33	
antinode	1.16		
antiresonance	1.16		
aperiodic motion	1.16		

<u>Index terms</u>	<u>Links</u>				
apparent mass	12.30				
applied damping treatments	37.1				
ASTM	19.1				
asymmetric stiffness	4.5	4.9			
asynchronous averaging	21.32				
asynchronous excitation	4.18				
asynchronous quenching	4.18				
audio frequency	1.16				
autocorrelation	11.7	22.6			
autocorrelation coefficient	1.16				
autocorrelation function	1.16				
automobile vibration	20.15	25.21			
autonomous system	4.25				
autospectral density	1.17	11.8	22.7		
auxiliary mass dampers	1.17	6.1	6.9	6.41	40.19
auxiliary mass systems	6.1	6.2	6.4		
auxiliary tanks to reduce ship roll	6.25				
average damping energy	36.6				
average value	22.3	22.17	22.21		
averaging; signal	13.7				
averaging time	14.8	22.17			
optimum	22.26				
axial loads	7.21				
background noise	1.17				
balance, perfect	39.2				
balancing:					
criteria for	39.30				
definition of	1.17				
in the field	39.2				
flexible-rotor	39.4				
rigid-rotor	39.2				
of rotating machinery	39.1				
of rotating parts	39.26				
single-plane	39.3				
terminology used in	39.34				
balancing machines	39.12				
ball joint	3.23				
centrifugal	39.15				
evaluation of	39.15				
field	39.27				
gravity	39.13				
standards for	39.25				
ballistic pendulum calibrator	18.18				
ball-passing frequency	16.21				
bandpass filter	1.17	14.1	22.7		
bandwidth	2.18				

<u>Index terms</u>	<u>Links</u>	
bandwidth		
effective	1.19	
half-power	36.5	37.12
nominal	1.22	
optimum resolution	22.22	22.27
beams	7.4	
axial loads on	7.21	
clamped	7.15	
lateral vibration in	7.11	7.21
partly clamped	7.23	
simply supported	7.47	
uniform	7.17	7.23
variable-section	7.21	
bearings	11.26	40.5
beat frequency	1.17	
beats	1.17	
Belleville springs	32.11	
belt drives	40.4	
belt friction system	4.3	
biaxial stiffness isolator	30.31	
Bibby coupling	6.31	
bistable vibration	5.20	
blast, effects on humans	42.23	
body:		
crash protection	42.31	42.34
effects of blast and shock waves on	42.23	
effects of blows, impacts, and rapid		
deceleration on	42.26	
effects of crash on	42.51	42.57
effects of deceleration	42.26	
exposure to the		
effects of mechanical shock on	42.26	
effects of repeated shocks to the	42.57	
effects of vibration on	42.21	
mechanical studies of	42.6	
physical characteristics of	42.7	
protection against shock	42.31	42.57
and vibration		
protection against shock waves	42.45	
skull vibrations	42.17	
vibrations transmitted	42.15	42.49
from the hand		
body-induced vibration	3.42	
Bogoliuboff's method	4.26	
bolted joints	41.13	
bolts	11.26	41.13
bonded strain gage	17.1	
boring bars	6.40	

<u>Index terms</u>	<u>Links</u>
Bourdon tube	17.10
boundary element method	27.12
branched systems	38.8
“break-loose” frequency ratio	30.9
broadband random vibration	1.17
buckling loading of isolators	32.7
buffeting	29.23
building vibration; acceptability criteria	42.46
Buna N	32.2
cables	15.18
noise generation in	15.19
calibration:	
comparison method of	18.4
field techniques for	15.13
random excitation method of	18.5
shields; use of	15.19
standards	19.2
transducer (<i>see transducer calibration</i>)	
transverse sensitivity	18.24
voltage substitution method of	15.16 15.16
calibration factor	18.1
calibration traceability	18.2
calibrator:	
ballistic pendulum	18.18
centrifuge	18.9
drop-ball	18.19
earth’s gravitational field	18.8
Fourier-transform shock	18.22
high-acceleration	18.15
impact-force shock	18.20
interferometer	18.10
pendulum	18.8
reciprocity	18.5
resonant-bar	18.15
resonant-beam	18.25
rotating table	18.9
shock excitation	18.16
sinusoidal excitation	18.15
(<i>See also calibration</i>)	
Campbell diagram	14.28
cantilever beam method	36.5
capacitance-type transducers	12.38
cascade plot	14.28 22.26
causal signal	14.37
cement	15.9

Index terms

Links

cement mounting	15.9		
CEN	19.1		
CENELEC	19.1		
center-of-gravity	1.17	3.14	
center-of-mass	1.17	3.14	
central limit theorem	11.6		
centrifugal balancing machines	39.15		
classification of	39.22		
centrifuge	26.14		
centrifuge calibrator	18.9		
cepstrum	14.34		
cepstrum analysis	14.34	16.21	
ceramic matrix composites	35.2		
ceramic transducers			
<i>(see piezoelectric accelerometers)</i>			
chain drives	40.5		
chaotic dynamics	4.22		
characteristic space	21.43		
charge preamplifiers	13.1		
charge sensitivity	12.21		
chatter	5.19	6.39	
machine-tool	40.8		
circuit boards	41.13		
circular frequency	1.17		
circular rings	7.41		
clamped beams	7.15		
classical normal mode analysis	29.56		
classification of vibrations	22.1	41.3	
coefficient condensation	21.53		
coefficient of restitution	9.1		
coefficient transformation	30.34		
coherence function	21.25	22.9	
coil springs	32.9		
comparison method of calibration	18.4		
complex angular frequency	1.17		
complex cepstrum	14.34	14.37	
complex function	1.17		
complex shock	23.9	26.10	26.15
complex vibration	1.17	22.5	
compliance	1.17	10.3	
component mode synthesis	27.11		
composite materials	35.1		
damping	35.26		
design	35.2	35.14	
failure criteria	35.9		

<u>Index terms</u>	<u>Links</u>			
composite materials (Cont.)				
fatigue performance	35.15			
properties	35.6			
types of	35.1			
wearout model	35.24			
compound pendulum	2.31			
compression-type accelerometers	12.18			
compressional wave	1.17			
compressors	19.4			
computer programs	24.16	27.1	28.1	28.29
computers	27.1			
analytical applications of	27.10			
experimental applications of	27.14			
types of	27.2			
condition monitoring of machinery	16.1			
computers in	16.24			
intermittent	16.2			
off-line	16.2			
on-line	16.2			
permanent	16.2			
relation to spectrum changes in	16.6			
conditioners, signal	13.3			
confidence coefficient	20.9			
conjugate even	14.13			
conservation of linear momentum	9.2			
constantan	17.4			
constant-bandwidth analysis	14.9			
constant-percentage bandwidth analysis	14.9	22.22		
continuous fiber composites	35.2			
constrained-layer damping	11.26	37.8		
continuous system	1.17			
control systems:				
mixed mode	25.20	27.27		
random vibration	27.23			
sine-wave	27.25			
transient/shock	27.26			
wave-form	27.27			
coordinate modal assurance criterion	21.70			
coordinate system	3.1			
correlation coefficient	1.17			
correlation function	1.17	11.7	22.6	
Coulomb dampers	30.4	30.7	30.12	
Coulomb damping	1.17	4.33	6.17	8.54
Coulomb friction	36.2			

<u>Index terms</u>	<u>Links</u>			
coupled modes	1.17	30.24		
coupling factor, electromechanical	1.18			
coupling loss factor	11.21	11.26	11.28	
couplings, elastic	38.7			
crack propagation	11.16	34.16		
Craig-Bampton reduction	28.47			
crankshaft	38.5			
crash protection for humans	42.34			
crest factor	1.18	13.8		
criteria, test	20.1			
critical damping, fraction of	1.19	2.5		
critical damping coefficient	24.2			
critical damping ratio	11.10			
critical speeds	1.18	38.14	38.25	39.4
critical strain velocity	34.7			
cross-axis (transverse) sensitivity	12.11	18.24		
cross-correlation function	11.8	14.39		
cross-spectral density function	21.23	22.8		
computation of	22.23			
cross talk	15.16			
crystal transducer				
<i>(see piezoelectric transducer)</i>				
cumulative damage	11.15	34.18		
cumulative distribution function	11.4			
cycle	1.18			
cycle counting	34.18			
cyclic averaging	21.33			
D/A conversion <i>(see</i>				
<i>digital-to-analog conversion)</i>				
D'Alembert's principle	7.45			
Damage, cumulative	11.15	34.18		
damage potential of dynamic load	26.2	41.20		
damage rules, in metals	34.18			
damped natural frequency	1.18			
damped systems	2.27			
damper	1.18	2.2	10.2	
applied to rotating systems	38.28			
auxiliary mass	6.1	6.9	6.29	40.19
Coulomb	30.4	30.12		
linear	30.2			
pendulum	38.31			
damper-controlled system	2.10			
damping:				
by bolts, rivets, and bearings	11.26	41.12		
caused by sliding	36.25			
of composite materials	35.26			
constrained-layer	11.26	37.8		

Index terms

Links

damping (Cont.)					
Coulomb	4.33	30.7	30.12		
critical	1.18	2.5			
definition of	1.18				
free-layer	11.26	37.6			
linear velocity	4.33				
in machine tools	40.18				
mass	2.27				
materials	36.1	37.3			
measuring properties of	36.3				
mechanical	36.2				
mechanisms of	21.14	37.2			
nonlinear	1.22				
nonproportional	21.14				
optimum	30.10				
proportional	21.14				
slip	36.1	36.25			
structural	2.18				
tuned	37.11				
uniform mass	2.29				
uniform structural	2.29				
velocity-squared	4.33				
in vibration isolators	32.16				
viscoelastic	36.16	36.19	37.2		
viscous	2.5	4.3	8.50	30.2	30.6
in welded joints	11.26	41.12			
damping characteristics of isolators	32.7				
damping coefficient <i>(See also fraction of critical damping)</i>	2.2	2.5			
damping constant	10.2				
damping energy	36.6				
damping loss factor	11.21	11.25	29.61		
damping materials:					
constrained layer	37.8				
free-layer	37.5				
hysteretic	36.18				
tapes	37.10				
types of	37.3				
damping measurements	37.18				
damping measures, comparison of	37.11				
damping properties of materials	36.17				
damping ratio <i>(See also fraction of critical damping)</i>	37.14				

<u>Index terms</u>	<u>Links</u>				
damping ring	6.39				
damping treatments	37.1				
applied	37.1				
benefits of	37.5				
constrained-layer	37.8				
free-layer	37.6				
integral	37.9				
rating of	37.11				
tapes	37.10				
damping values, comparison of	11.26	36.14	41.12		
data analysis:					
digital	21.16	22.16	27.14		
matrix methods	28.1				
statistical sampling errors	22.18				
data domain	21.41				
data reduction:					
to frequency domain	23.6				
in the response domain	23.11				
for shock data	23.6	23.25			
for vibration data	22.16				
<i>(See also data analysis)</i>					
data sieving	21.52				
data window	14.14	14.16	14.18		
DAT recorders	13.12				
dead-weight load, definition of	25.1				
decaying sinusoidal acceleration	23.5	23.9	23.20		
decibel (dB), definition of	1.18				
decoupling of modes	30.30				
deflection, static		2.4			
deformation, plastic		9.10			
degrees-of-freedom	1.18	2.19	7.1	21.2	21.6
detectors	13.5	14.6			
envelope	13.10				
multiple	21.11	30.18			
peak	13.7				
two	31.27	31.34			
delamination of composites	35.5				
delta function	23.3				
design criteria	41.14				
design issues using composites	35.3				
design lateral forces	24.17				
design life	41.16				
design margins	41.17				
design procedure, equipment	41.2				
final design	41.23				
preliminary	41.20				
design requirements	41.7				

<u>Index terms</u>	<u>Links</u>		
design response spectra	24.9		
design reviews	41.24		
design verification	41.25		
deterministic function	1.18	22.4	22.10
analysis of	22.17	22.26	
deterministic signal, stationary	14.22		
deterministic vibration	1.1		
development tests	20.4		
DFT (<i>see discrete Fourier transform</i>)			
digital analysis of data	21.16	22.16	27.14
digital computers	27.1		
analytical applications of	27.10		
experimental applications of	27.14		
types of	27.2		
digital control systems, for shock and vibration testing	27.19		
digital filter	14.2		
digital processing	13.13	13.17	
digital recorders	13.12		
digital signal processing (<i>See also Chaps. 14 and 22</i>)	21.16	27.5	
digital-to-analog conversion	13.16	27.6	
discrete Fourier transform	14.11	21.18	22.17
displacement:			
definition of	1.18		
as design requirement	41.6		
measurement of	12.34	17.7	
displacement pickup	1.18		
displacement shock	26.5		
displacement transducers	12.38	16.4	
displacement transmissibility	30.8	30.15	30.27
distortion	1.18		
distributed-mass vibration absorber	6.21		
distributed systems	1.18		
dither	13.14		
driving point impedance	1.18	12.30	
drop-ball shock calibrator	18.19		
drop tables	26.7		
drop-test calibrator	18.19		
dry friction whip	5.11		
ductility of metals	34.3		
Duffing's method	4.23		
Duhamel's integral	8.5	23.4	23.14
durability test	20.16		
duration of shock pulse	1.18		

<u>Index terms</u>	<u>Links</u>			
durometer	33.5			
dwel time	14.8	14.9		
dynamic disturbances; types of	32.2			
dynamic environment	32.2			
dynamic hysteresis	36.19			
dynamic mass	12.30			
dynamic reduction	28.45			
dynamic response index	42.57			
dynamic stability	40.9			
dynamic stiffness	1.19	12.30		
of isolators	32.8			
dynamic vibration absorber	1.19	6.1	6.7	6.24
<i>(See also auxiliary mass damper)</i>				
earthquake	24.5			
design for	24.14	24.19		
ground motion due to	24.5			
simulation	24.19			
earth's gravitational field				
method of				
calibration	18.8			
effective bandwidth	1.19			
effective mass	1.19			
eigenvalues	28.12			
elastic axis	3.22			
elastic center	3.23			
elastic couplings	38.7			
elastic design spectrum	24.13			
elastomer	33.2			
elastomeric isolators	32.1			
elastomeric materials	37.2			
electric filter	14.1	14.2		
electric motors	40.4			
electrodynamic exciters	18.23			
electrodynamic transducers	12.36			
electrodynamic vibration	25.7			
machines				
controls for	27.19			
electromechanical coupling	1.19			
factor				
electro-optical displacement	12.32			
measurement				
electroplastic systems	24.12			
electrostatic shields	15.20			
electrostriction	1.19			
endurance limit of metals	34.10			
energy balance method	38.18			
energy method	9.12			

<u>Index terms</u>	<u>Links</u>	
energy spectral density	11.9	
engines	38.1	
ensemble	1.19	
entrainment of frequency	4.18	
envelope detectors	13.10	16.17
environment:		
active	32.5	
aero acoustic	20.11	29.47
of concern in design	41.1	
dynamic (summary)	28.37	32.2
fluid flow	29.1	
ground motion	24.1	
induced	1.20	
natural	1.22	
types of	20.2	
wind	29.21	
environmental conditions	21.19	
environmental test specifications	20.1	
equation condensation	21.52	
equipment design:		
practice of	41.1	
for shock	41.20	
for vibration	41.20	
equipment loading effects	20.12	41.15
equivalent elastoplastic	24.11	
resistance		
equivalent fraction of critical damping	30.8	
equivalent mass	6.3	
equivalent static acceleration	23.12	
equivalent system	1.19	
equivalent viscous damping	1.19	1.26
ergodic process	1.19	11.2
error chart	21.55	
European Committee for Electrotechnical Standardization	19.1	
European Committee for Standardization	19.1	
excitation:		
aeroacoustic	29.47	
classifications of	21.33	
definition of	1.19	
engine	38.16	
impact	21.35	
multiple-axis	20.18	
periodic chirp	21.34	
periodic random	21.37	
pure random	21.37	

<u>Index terms</u>	<u>Links</u>			
excitation (Cont.)				
pseudo-random	21.37			
random transient	21.37			
slow swept-sine	21.34			
sound	29.47			
step-relaxation	21.37			
types of	20.17	21.34	41.3	
exciters (<i>see vibration exciters</i>)				
Experimental modal analysis	21.1	21.14		
(<i>See also modal analysis</i>)				
exponential pulses	8.40			
extrapolation procedures	20.8			
failure:				
criteria for	11.14	41.6		
definition of	20.13			
false alarms	16.6			
fast Fourier transform	14.11	22.17		
fast Fourier transform				
analyzers (<i>see FFT analyzers</i>)				
fatigue, acoustic	29.63			
fatigue diagram	34.10			
fatigue failure	11.15	41.24		
fatigue performance:				
of composites	35.15			
of metals	34.8			
fatigue; tests for	34.17			
fault detection in machinery	14.9	16.5		
fault diagnosis in machinery	16.8			
FEM (<i>see finite element method</i>)				
FFT analyzers	14.11			
FFT spectrum analysis	14.11	14.22	14.25	14.31
fiberoptic displacement sensor	12.35			
field balancing machines	39.27			
field calibration techniques	15.13			
filter:				
bandwidth of	14.3			
choice of bandwidth of	14.4	22.22	22.27	
definition of	1.19			
digital	14.2			
effective noise bandwidth of	14.3			
electrical	14.1			
high-pass	1.20			
impulsive response of	14.4			
low-pass	1.21			
properties of	14.3			
relative bandwidth of	14.3			
response time of	14.3			

<u>Index terms</u>	<u>Links</u>						
finite element analysis	20.7	21.67	29.60	41.18			
finite element method	20.7	27.11	28.1	28.29	28.33	38.11	41.18
finite element models							
<i>(see finite element method)</i>							
finite element programs	27.11	28.29					
fixed reference transducers	12.2						
flattest spectrum rule	15.4	16.4					
flattop window	14.16						
flexible-rotor balancing	39.4	39.8					
flexibly coupled rotating	39.39						
floating shock platform	26.12						
flow-induced vibration	29.1	29.54					
fluid bearing whip	5.12						
fluid elastic instability	29.14						
fluid flow	29.1						
in pipes	29.16						
over structures	29.54						
fluid-structure interaction	28.33						
flutte	29.40						
flutter mechanisms	29.23						
FM tape recorders	13.12						
force-balance accelerometer	12.37						
force factor	1.19						
force gages	12.30						
force measurement	17.0						
force transmissibility	2.7	30.17	30.26				
force transmission	2.12						
forced motion	2.23						
forced oscillation	1.19						
forced vibration	1.1	1.19	2.7	2.8	2.9	7.1	
forcing frequency	1.2						
foundation	1.19						
motion of	2.16	2.26					
foundation-induced vibration	3.42	41.21					
Fourier coefficients	22.4						
Fourier series	22.4						
Fourier spectrum	23.6	23.25					
relation to shock spectrum	23.24						
Fourier transform	14.11	23.25					
discrete	21.18	22.17					
finite	22.4						
Fourier transform shock	18.22						
calibration							
fraction of critical damping	1.19	2.5	30.7	32.20	37.14		
fracture energy	34.8						
fracture mechanics	11.16	34.16					
free-damping	11.26	37.6					

<u>Index terms</u>	<u>Links</u>			
free-fall calibration	15.13			
free vibration	1.1	1.20	2.21	4.6
with damping	2.5	7.1		
without damping	2.3			
frequency:				
angular	1.7	1.16	2.3	
audio	1.16			
circular	1.16			
definition of	1.7	1.20		
forcing	1.2			
fundamental	1.20			
natural	1.22	2.3	30.18	
normalized	29.51			
resonance	1.24			
frequency analysis				
(<i>see spectral analysis;</i>				
<i>spectrum analysis</i>)				
frequency domain	22.6	23.6		
frequency equation	2.21			
frequency resolution	21.38	22.21		
frequency response function	21.7	22.8	41.25	
measurement procedures	21.21	27.18		
frequency response procedures	20.8			
frequency sampling	14.15			
friction, Coulomb		36.26		
fringe-counting interferometer	18.10			
fringe-disappearance interferometer	18.12			
functional test	20.16			
function transforms	8.9			
fundamental frequency	1.20			
fundamental mode of vibration	1.20			
<i>g</i> , definition of	1.20			
gage factor	12.24	17.2		
galloping	29.23			
galloping oscillations	29.40			
Gaussian distribution	11.2	22.6		
gearbox	16.7			
geared systems	38.8			
gear-induced vibration	40.4			
generalized coordinates	2.22	2.24		
generalized force	2.24			
generalized impulsive response	8.23			
generalized mass	2.24			
generators	19.4			
ghost components in	16.14			
vibration spectra				
Gibbs phenomenon	13.16			

<u>Index terms</u>	<u>Links</u>		
Goodman diagram	34.13		
graphical integration	4.33		
graphic level recorder	14.8		
gravity, center of	3.14		
gravity balancers	39.13		
grinding wheels	40.2	40.6	
grounding	15.21		
ground loops	15.21		
ground motion	24.1		
earthquake-induced	24.5	24.7	
machine-induced	24.3		
simulated	24.19		
ground vibration testing			
<i>(see modal testing)</i>			
guideways	40.6		
gust-factor	29.32		
Guyan reduction	28.45		
gyroscope	6.26		
H-type elements	28.30		
half-bridge circuit	17.12		
half-cycle sine-wave	8.5		
half-power bandwidth	36.5	37.12	
half-power point	2.18		
half-sine acceleration	23.5	23.7	23.18
Hamilton's principle	28.30		
Hamming window	14.16		
hand, vibrations transmitted from		42.15	
hand-arm vibration syndrome	42.33		
hand-held accelerometer	15.12		
hand-transmitted	42.49		
vibration exposure			
Hanning window	14.16		
hardening, definition of	4.2		
hardening spring	22.6	31.10	31.14 31.24
hard failure	20.13		
harmonic	1.20		
harmonic motion	1.7		
<i>(See also simple</i>			
<i>harmonic motion)</i>			
harmonic response	1.20		
head impact protection	42.40		
helical spring	32.9		
helical spring isolators	32.9		
Hertz theory of impact	9.2		
heterodyne interferometer	18.15		
high-acceleration methods of	18.15		
calibration			

<u>Index terms</u>	<u>Links</u>		
high-frequency shock	26.6	26.15	
high-impact shock machines	26.10		
high-pass filter	1.20		
Hilbert transform	14.37		
homodyne interferometer	18.15		
Hooke's law	4.2		
Hopkinson bar	26.13		
Hopkinson bar calibrator	18.17		
hum, control of	15.20		
human body (<i>see body</i>)			
human performance, effects of shock and vibration on	42.20	42.30	
humans, effects of shock and vibration on (<i>See also body</i>)	42.1	42.20	42.23
humans, simulation of	42.4		
humans, tolerance criteria for vibration	42.40		
hydraulic vibration machines	25.16		
controls for	27.19		
hysteresis	2.16	36.2	
dynamic	36.19		
static	36.21		
hysteresis loss	2.18		
hysteresis whirl	5.5	16.8	
hysteretic damping materials	36.18		
IEC	19.1		
image impedance	1.20		
impact	1.20		
on bars	9.10		
of body on a beam	9.6		
effect on structures	9.1		
excitation of	21.35	25.19	
Hertz theory of	9.2		
of mass on a beam	9.5		
plastic deformation resulting from	9.10		
with rebound	31.22		
without rebound	31.26		
of rigid body on a beam	9.6		
of sphere on a plate	9.3		
transverse, on a beam	9.5		
of two spheres	9.2		
impact-force shock calibrator	18.20		
impedance:			
image	1.20		
measurement of mechanical	12.30		

<u>Index terms</u>	<u>Links</u>					
impedance (Cont.)						
mechanical	1.21	6.3	10.1	10.4	10.5	41.16
definition of	1.20					
transfer	1.25					
(<i>See also mechanical impedance</i>)						
impedance heads	12.32					
impulse	1.20	23.21				
acceleration	23.6					
impulsive response:						
of filters	14.4					
function	21.7					
generalized	8.23					
impulsive-type forces	9.1					
induced environments	1.20					
inertia:						
moment of	3.15					
product of	3.15					
inertial frame of reference	3.1					
influence coefficients	30.35					
initial conditions	2.4					
insertion loss	1.20					
instantaneous line spectrum	22.11					
computation of	22.26					
instantaneous power spectrum	22.11					
computation of	22.27					
integral damping treatments	37.9					
integration, graphical	4.33					
integration, phase-plane	4.33					
interferometer calibrators	18.10					
intermittent monitoring system	16.2					
International Electrotechnical Commission	19.1					
International Organization for Standardization	19.1					
inverse Laplace transform	8.7					
inverse power law	20.14					
involute springs	32.11					
ISO	19.1					
isochronous system	4.6					
isolation:						
definition of	1.20					
shock (<i>see shock isolation</i>)						
vibration (<i>see vibration isolation</i>)						
isolator, vibrator						
(<i>see vibration isolators</i>)						
jerk, definition of	1.20					
joint acceptance function	29.58					

Index terms**Links**

joints	41.11				
jump phenomena	4.9	4.40			
Kaiser-Bessel window	14.16				
Karma	17.4				
Kirchhoff's laws	10.6				
Kryloff's method	4.26				
kurtosis	11.6				
Lagrangian equations	2.30				
laminate design, composites	35.8				
Lanchester damper	6.31	40.19			
Laplace domain	21.8				
Laplace transform	8.7				
laser-Doppler vibrometers	12.32				
lateral instability of shafts	5.16				
lateral vibration of beams	7.11				
leaf springs	32.11				
leakage	14.13	21.19	22.18		
least squares	21.19				
level	1.21				
level crossings	11.14				
level recorder	14.8				
Liénard's method	4.37				
life cycle analysis	41.5				
limit cycle	4.38				
linear dampers	30.2				
linear mechanical impedance	1.21				
linear resilient support	3.22				
linear spring	31.12	31.16			
linear system, definition of	1.21				
linear velocity damping	4.33				
line-drive preamplifiers	13.1				
line spectrum	1.21	22.5	22.18		
load deflection	32.1				
loading	20.12	23.21	41.15		
variable-amplitude	34.17				
logarithmic decrement	1.21	2.6	36.4	37.14	40.12
log dec (<i>see logarithmic decrement</i>)					
longitudinal vibration	7.6	7.10			
longitudinal wave	1.21				
loss factor	11.21				
coupling	11.26				
damping	11.25	36.11	37.12		
low-cycle fatigue in metals	34.10				
low-pass filter	1.21				
lumped parameter systems	2.1	7.4	31.4	41.18	

Index terms

Links

machinery:			
monitoring of	16.1		
reciprocating	16.22		
rotating	39.1		
shaft misalignment	39.37		
types of	19.2		
machinery vibration	19.4		
rotating faults	16.9		
spectrum analysis of	16.17		
stationary faults in	16.9		
machine tools:			
chatter in	40.8		
control of vibration in	40.11		
damping in	40.18		
design of	40.21		
vibration in	40.1		
MacNeal-Rubin reduction	28.47		
magnetic shields	15.20		
magnetic tape recorder	1.21	13.11	
magnetostriction	1.21		
mainframe computers	27.2		
mass	2.2	10.3	
center of	3.14		
mass centering	39.26		
mass computation	3.3		
mass controlled system	2.10		
mass damping	2.27		
mass loading	15.13	41.16	
mass-spring transducers	12.2		
material damping	36.1		
material damping mechanisms,	36.23		
comparison of			
Mathieu's equation	4.41		
Matrices, types of	27.14	28.3	
matrix, definition of	28.2		
matrix eigenvalues	28.12		
matrix methods of analysis	28.1		
matrix operations	28.4		
maximum environment	20.4		
maximum expected environment	20.9	41.15	
maximum value	1.21		
mean phase deviation	21.71		
mean-square value	11.5	13.5	22.3
computation of	22.25		
mean value	11.5	22.3	
computation of	22.25		

<u>Index terms</u>	<u>Links</u>					
mean wind velocity	29.25					
measurement:						
absolute	18.3	18.5				
comparison	18.4					
synthesis	21.66					
measurements						
<i>(see vibration measurements)</i>						
measuring instrument	12.1					
mechanical admittance	12.30					
<i>(See also mobility, mechanical)</i>						
mechanical circuits	10.6					
mechanical exciters	18.23					
mechanical impedance	1.20	1.21	6.3	10.1	10.4	10.5
applications of	10.12	41.16				
measurement of	10.11	12.30				
mechanical elements in	30.47					
rotational						
<i>(see angular mechanical impedance)</i>						
mechanical mobility	10.1	10.5				
mechanical power sources	30.46					
mechanical properties of materials:						
aluminum alloys	34.6	34.12				
cast iron	34.3					
composites	35.4					
copper-zinc alloys	34.5					
elastomers	33.6					
mechanical properties of						
magnesium alloys	34.12					
steels	34.4	34.11				
mechanical resistance	10.2					
mechanical shock	1.21					
<i>(See also shock)</i>						
metal matrix composites	35.2					
metals:						
critical strain velocity in	34.7					
ductility in	34.7					
effects of temperature on	34.4					
endurance limit in	34.10					
engineering properties of	34.1					
equipment design using	41.1					
fatigue in	34.8					
fracture energy in	34.8					
physical properties of	34.2					
reliability factors of	34.14					
static properties of	34.2					

Index terms

Links

metals (Cont.)		
tensile strength of	34.3	34.4
toughness of	34.7	
metal spring isolators	32.9	
Miner's rule	34.18	
mixed mode testing control	27.27	
mixed vibration environments	22.2	
mobility, mechanical	10.1	10.5
modal analysis	21.1	
applied to rotary systems	38.21	
effect of environment	21.19	
measurements in	21.30	
parameter estimation	21.2	
theory of	21.5	
modal complexity	21.70	
modal coupling	3.27	
modal damping	21.13	
modal data acquisition	21.15	
modal data presentation/ validation	21.68	
modal density	11.23	28.37
modal excitation	11.28	
modal identification:		
algorithms	21.61	
concepts	21.39	
models	21.46	
modal mass	21.12	
modal matrices	28.13	
modal modification prediction	21.70	
modal numbers	1.21	
modal order:		
determination	21.54	
relationships	21.42	
modal overlap factor	11.21	
modal parameter estimation	21.39	21.49
modal phase colinearity	21.71	
modal power potential	11.21	
modal scaling	21.12	
modal superposition	11.13	
modal testing	21.1	
control systems for	27.19	
experimental setup	21.35	
modal truncation	28.41	
modal vector consistency	21.68	
modal vector orthogonality	21.67	
mode counts	11.23	

<u>Index terms</u>	<u>Links</u>					
model, shock and vibration	28.29					
single degree-of-freedom	41.20					
structural	23.2	28.29	41.17			
mode natural frequency	2.24					
of rotors	39.7					
modes:						
of driven machinery	38.2					
failure	20.14					
modal identification	21.46					
mode shapes	21.1					
modes of vibration	1.21					
coupled	30.24					
decoupling of	30.30					
fundamental	1.20					
natural frequency of	1.22					
normal	1.22					
(<i>See also modes</i>)						
modulation	1.21					
modulus of rigidity	34.3					
moments of inertia	3.15					
experimental determination of	3.17	38.5				
polar	38.3					
moments of the probability distribution	11.5					
monitoring of machinery	16.1					
motion:						
periodic	1.1					
rigid body	3.1					
rotational	2.2					
transitional	2.1					
uncoupled	31.1					
undamped	2.3					
motion response	2.7	30.2				
motion sickness	42.48					
motion transmissibility	2.7					
motors	19.4					
electric	40.4					
moving-coil differential transformer						
transducers	12.36					
multimass vibration absorber	6.21					
multiple-axis excitation	20.18	25.20				
multiple degree-of-freedom system	1.21	2.19	2.27	8.57	21.11	30.18
response of	11.12					
narrow-band random vibration	1.22					
natural environment	1.22					
natural frequency	1.22	2.3	7.2	30.18		

Index terms

Links

natural frequency (Cont.)					
angular	2.3				
of circular rings	7.41				
damped	1.18				
torsional	38.9				
undamped	1.26				
of vibration isolators	32.16				
natural mode of vibration	1.22	2.22	7.2	11.2	
Neoprene	32.2				
neutral surface	1.22				
node	1.22				
noise	1.22				
background	1.17				
generation of noise in cable	15.19				
suppression	15.20				
nominal bandwidth	1.22				
nominal passband center frequency	1.22				
nominal upper and lower cutoff frequencies	1.22				
noncontact transducer					
<i>(see proximity probe transducer)</i>					
nonisochronous system	4.6				
nonlinear damping	1.22				
nonlinear spring	6.19				
nonlinear systems	4.1	4.8	28.36	29.61	
nonlinear vibration	4.1	4.6	4.18	4.23	4.25 4.40
of vibration isolators	30.38				
nonstationary random process	11.2				
nonstationary vibration environment	20.3	22.2	22.11		
normal distribution	11.2				
<i>(See also Gaussian distribution)</i>					
normalizing condition	2.22				
normal modes of vibration	1.22	2.22	7.2	11.12	21.1
of beams	7.17				
Norton's equivalent system	10.9				
Nyquist frequency	22.16				
octave	1.22				
on-line monitoring system	16.2				
one degree-of-freedom					
<i>(see single degree-of-freedom)</i>					
operation transforms	8.9				
optical-electronic transducers	12.32				
optimum damping	30.10				
optimum transmissibility	30.11				
order of vibration	6.31				
orthogonality	7.5				
orthogonality condition	2.22				
oscillation	1.22				

<u>Index terms</u>	<u>Links</u>		
oscillation (Cont.)			
galloping	29.40		
turbulence-induced	29.22	29.54	
wake-induced	29.23		
P-type element	28.30		
palmtop computers	27.3		
parametric instability	5.15		
partial node	1.22		
peak acceleration	23.22		
peak detectors	13.7		
peak-to-peak value	1.22		
peak value	1.22		
pendulum	2.31	4.2	4.3
dampers	38.31		
nonlinear	4.3		
pendulum vibration absorber	6.32	6.37	
perfect balance	39.2		
performance, effects of shock and vibration on	42.30		
period	1.22	2.3	
periodic chirp	21.36		
periodic functions	22.4		
periodic motion	1.1		
periodic quantity	1.22		
periodic random	21.38		
permanent monitoring system	16.2		
personal computers	27.3		
applications of	27.13		
perturbation method	4.25		
phase angle	2.4		
phase coherent signal	14.38		
phase coherent vibrations	22.10		
phase demodulation	14.40		
phase of periodic quantity	1.23		
phase-plane analysis	4.39		
phase-plane graphical method	8.6		
phase-plane integration	4.33		
phase-plane method	8.54		
picket fence corrections	14.18		
pickup (<i>see accelerometers, transducer</i>)			
pickup calibration (<i>see transducer calibration</i>)			
pickup calibrators (<i>see calibrator</i>)			
piezoelectric accelerometers	12.15		
amplitude range of	12.23		
beam-type	12.19		

Index terms

Links

pickup calibrators (<i>see calibrator</i>) (Cont.)			
calibration of	18.1		
charge sensitivity of	12.21		
compression-type	12.18		
effects of temperature on	12.23		
electrical characteristics of	12.21		
frequency range of	12.17		
internal electronics for	12.22		
mounting of	15.5		
physical characteristics of	12.20		
resonance frequency of	12.21		
selection of	15.4		
shear-type	12.19		
types of	12.18		
voltage sensitivity of	12.21		
weight of	12.20		
piezoelectric drivers	12.32		
piezoelectric exciters	18.23	25.18	
piezoelectricity	1.23		
piezoelectric materials	12.1	12.18	
piezoelectric transducers (<i>See also piezoelectric accelerometers</i>)	12.18		
piezoelectric vibration exciters	25.18		
piezoresistive accelerometers	12.24		
bending-beam types	12.25		
sensitivity of	12.27		
stress-concentrated types	12.27		
pipes, fluid flow in	29.16		
plastic deformation	9.10		
plastic isolators	32.9		
plates	1.14	7.4	7.33
lateral vibration of	1.14	7.25	
uniformly loaded	7.30		
pneumatic springs	32.13		
point mass	2.19		
polar moments of inertia	38.3		
measurement of	38.5		
polymer matrix composites	35.1		
polymeric materials	35.6	37.2	
potentiometer circuit	17.12		
power spectral density	1.23	14.9	
power spectral density function	11.8	20.11	22.7
computation of	22.21		
instantaneous	22.27		
power spectral density level	1.23		
power spectrum	1.23	14.9	14.34
(<i>See also power spectral density function</i>)			

<u>Index terms</u>	<u>Links</u>						
preamplifiers, accelerometer	13.1						
pressure measurement	17.9						
preventive maintenance, machinery	16.1						
primary standard	18.3						
principal component analysis	21.30						
principal elastic axes	3.22						
printed wiring assembly	41.26						
probability density function	11.4	22.6					
computation of	22.21						
probability distribution moments	11.5						
process	1.23						
product of inertia	3.15						
experimental determination of	3.19						
production test	20.5						
propellers	38.4						
propeller whirl	5.14						
proportional damping	21.14						
proximity probe transducer	12.37	16.4					
pseudo acceleration	24.6						
pseudo-random excitation	21.37						
pseudo velocity	24.6	41.21					
pulse:							
acceleration	31.16						
half-sine	23.5	31.18					
rectangular	31.17						
triangular	8.27						
versed sine	31.18						
pulse excitation	8.7	8.11	8.14	8.22	8.23	8.27	8.33
pulse rise-time	1.23						
pumps	19.4						
pyroshock:							
characteristics of	26.16						
definition of	26.15						
measurement techniques	26.21						
simulation of	26.22	26.24					
test specifications for	26.19	26.21					
testing techniques	26.15	26.18					
Q (quality factor)	1.23	2.18					
qualification test	20.5	41.27					
quality control test	20.5						
quality factor	37.11						
quantization	21.17	22.16					
quasi-ergodic process	1.23						
quasi-periodic signal	1.23						
quasi-periodic vibrations	22.5						
quasi-sinusoid	1.23						
quasi-static acceleration	41.3						

<u>Index terms</u>	<u>Links</u>				
quefreny	14.34				
quenching	4.18				
radius of gyration	3.4				
rahmonic	14.34				
rainflow counting method	34.18				
random excitation	20.17	21.37	41.4	41.22	
by jet and rocket exhausts	29.49				
by turbulent boundary layer	29.54				
by vortices	29.37				
by waves	29.6				
by wind	29.21				
random process:					
nonstationary	11.2	22.24			
stationary	11.2	22.6			
random response	11.10	28.51	41.22		
random signal:					
broadband	11.2	22.9			
narrow-band	11.2	22.9			
stationary	14.22	22.6			
random sine-wave					
<i>(see narrow-band random vibration)</i>					
random test	20.17				
random transient excitation	21.37				
random vibration	1.23				
analysis of	11.1	22.21			
broadband	1.17				
control systems for	27.19				
isolation of	30.43				
laboratory test exciters for	25.7				
narrow-band	1.22				
statistical parameters	11.3	22.6			
testing	20.17	25.20			
ratio of critical damping					
<i>(see fraction of critical damping)</i>					
Rauscher's method	4.24				
Rayleigh distribution	11.2				
Rayleigh's equation	4.28	4.39			
Rayleigh's method	7.3	7.11	7.16	7.25	7.33
Rayleigh's quotient	28.16				
Rayleigh wave	1.23				
real-time analysis	14.23				
real-time digital analysis of transients	14.9				
real-time frequency	14.24				
real-time parallel filter analysis	14.9	22.22			
receptance	12.30				

<u>Index terms</u>	<u>Links</u>		
reciprocating machinery	16.22	19.4	38.1
reciprocity method of calibration	18.5		
reciprocity theorem	10.8		
recording:			
DAT	13.12		
FM	13.12		
magnetic tape	13.11		
recording channel	1.24		
recording system	1.24		
rectangular pulse	31.17		
rectangular shock pulse	1.24		
rectangular-step excitation	8.10		
rectangular weighting	14.25		
reduction, of modal complexity	27.11	28.45	
reed gage	23.26		
reference standard	18.3		
relative transmissibility	30.1	30.11	
relaxation excitation	4.38		
relaxation oscillations	4.17		
relaxation time	1.24		
reliability factors:			
of accelerometers	12.22		
in metals	34.14		
reliability growth test	20.6	41.27	
reliability test, statistical	20.6		
repetitive motion, injury from	42.57		
re-recording	1.24		
reservoir method	34.18		
residues	21.11		
resilient elements, elastic center of	3.23		
resilient supports:			
linear	3.22		
orthogonal	3.36		
resonance	1.24	2.18	
resonance frequency	1.24		
acceleration	2.18		
damped natural	2.18		
displacement	2.18		
velocity	2.18		
resonant bar	26.30		
resonant-bar calibrator	18.15		
resonant beam	26.31		
resonant-beam calibrator	18.25		
resonant plate	26.29		
resonant whirl	16.8		
response	1.24		
subharmonic	4.14		

Index terms

Links

response (Cont.)						
superharmonic	4.10					
response curves	4.7					
response spectrum	1.24	4.7	8.1	23.11	24.6	24.11
	24.13					
<i>(See also shock response spectra)</i>						
rigid-body motion	3.1					
rigid-rotor balancing	39.2					
ring springs	32.10					
Ritz method	4.28	4.31	7.3	7.33		
riveted joints	11.26	41.12				
rms detector	13.5					
rms value	22.3					
road simulator	25.21					
rods	7.4					
rotary accelerator	26.14					
rotating machinery	5.2	5.22	6.27	19.4	38.1	
balancing of	39.1					
condition monitoring of	16.1					
fault detection in	16.5					
shaft misalignment	39.37					
tolerance guide	39.39					
rotating shafts	5.6					
rotating table (centrifuge)	18.9					
calibrator						
rotational mechanical	1.24					
impedance						
rotational motion	2.2					
rotational speed, low harmonics of	16.9					
rotational wave (<i>see shear wave</i>)						
rotors, unbalanced	39.11					
rubber:						
adhesion	33.8					
compounding of	33.1					
compression in	33.8					
creep in	33.8					
damping in	33.12	33.13				
dynamic properties of	33.10					
effects of temperature on	33.15					
effects of transmissibility on	33.14					
environmental effects on	33.8	33.9				
fatigue failure in	33.15					
hardness of	33.5					
molding of	33.5					
natural	33.2					
physical properties of	33.5					

<u>Index terms</u>	<u>Links</u>			
rubber (Cont.)				
postvulcanization bonding in	33.8			
stress vs. strain in	33.5			
vulcanization of	33.4			
safety, in design	41.8			
sampling	21.17	27.6		
frequency	14.15			
rate of	22.16	27.7		
theorem	21.17			
scaling	14.9			
scan averaging	14.26			
screening test	20.6			
SEA (<i>see statistical energy analysis</i>)				
secondary standard	18.4			
seismic forces	24.18			
seismic pickup (<i>see seismic transducer</i>)				
seismic system	1.24			
seismic transducer	1.24	12.2	12.36	
(<i>See also mass-spring transducers</i>)				
self-excited vibration	1.24	4.17	5.1	5.22
sensing element	1.24			
sensitivity	1.24			
servo accelerometers	12.37			
servo-controlled isolation	32.18			
systems				
shaft misalignment	39.37			
shaker (<i>see vibration machines</i>)				
shake table (<i>see vibration machines</i>)				
Shannon's sampling theorem	21.17			
shear-type accelerometers	12.19			
shear wave	1.24			
shielding	15.20			
shipboard vibration	19.6			
shock:				
complex	23.9	26.10		
control methods	1.2			
definition of	1.2			
displacement	26.5			
effects on humans	42.40	42.1		
(<i>See also body</i>)				
high-frequency	26.5			
mechanical	1.21			
(<i>See also mechanical shock</i>)				
protection of equipment	31.32			
pyrotechnic	26.15			
simple pulse	26.5			

Index terms**Links**

shock (Cont.)						
velocity	26.5					
<i>(See also mechanical shock)</i>						
shock absorber	1.24					
shock calibration, Fourier transform	18.22					
shock calibrator, impact-force methods of calibration	18.20					
shock data analysis	23.1					
shock data reduction	23.1					
shock environment	20.2	23.1	26.1	41.3		
shock excitation	23.1	26.13	41.21			
shock isolated equipment	31.32					
shock isolation:						
classification of problems in of equipment	31.3					
support protection	31.32					
theory of	31.31					
shock isolators	31.1					
selection of	32.1					
specification of	32.11	32.13	32.14			
shock machines	32.7					
calibration of	26.1	26.7	26.10	26.13	26.22	26.24
characteristics of	26.3					
standards for	26.2					
types of shocks produced by	19.3					
shock measurements, interpretation of	26.5	26.18				
shock motion	23.1					
shock mount <i>(see shock isolators)</i>	1.24	23.3				
shock pulse	1.24					
duration of	1.18					
shock response spectra	11.9	23.11	23.14	23.26	24.6	26.6
limiting values	26.19	31.21	41.21			
relation to Fourier spectrum	23.21					
three-dimensional	23.24					
shock response using SEA	23.22					
shock simulation <i>(see shock testing)</i>	11.31					
shock spectra	1.24	8.1				
<i>(See also response spectrum; shock response spectra)</i>						
shock testing	26.1					
digital control systems for machines for <i>(see shock machines)</i>	27.19					
specifications for	20.7	26.3	26.21			
standards for	19.3					

<u>Index terms</u>	<u>Links</u>					
shock transmissibility	31.21	31.27				
shock waves, effects on humans	42.23					
short fiber/particulate composites	35.2					
sideband patterns	16.14	22.12				
signal	1.25					
signal analysis (<i>see spectrum analysis</i>)						
signal analyzers (<i>see spectrum analyzers</i>)						
signal averaging	13.7	21.32				
signal conditioners	13.3	17.11				
signal enhancement	14.32					
signal-nulling interferometer	18.14					
signal processing, digital (<i>See also Chaps. 14 and 22</i>)	13.13	21.16				
signal-to-noise ratio	22.16					
simple harmonic motion	1.7	1.25				
simple pendulum	4.2					
simple spring-mass system	4.2					
sine-sweep tests	20.4	37.20				
sine-wave, random (<i>see narrow-band random vibration</i>)						
sine-wave control systems	27.25					
sine-wave test	20.17					
single degree-of-freedom system	1.25	2.3	2.9	8.2	8.51	21.6
idealized	31.4					
nonlinear	8.55					
response of	11.10	41.22				
single-plane balancing	39.3					
singular points	4.34					
sinusoidal acceleration, decaying	23.5					
sinusoidal excitation methods	18.15					
sinusoidal motion	1.25					
foundation-induced	3.42					
skewness	11.6					
slip damping	36.1	36.25				
slip-stick phenomena	5.19	40.6				
smart accelerometer	12.22					
snubber	1.25	32.6				
softening, definition of	4.2					
softening spring	31.10	31.15	31.24			
soft failure	20.13					
sound sources	29.47					
jet and rocket exhausts	29.49					
propellers and fans	29.53					

<u>Index terms</u>	<u>Links</u>			
sound sources (Cont.)				
turbulent boundary layers	29.54			
specialized processors	27.4			
specific damping energy	36.6	37.17		
specifications:				
environmental	20.1			
test	20.1			
<i>(See also standards)</i>				
spectral analysis	14.1	16.17	22.18	27.14
<i>(See also spectrum analysis)</i>				
spectral density functions	22.7	22.11		
spectral matrices	21.24	27.14	28.13	
spectrum	1.25	20.3		
instantaneous	22.11			
line	1.21	22.5		
maximax	20.4	41.15		
response	1.24			
shock response	23.11	23.14	23.25	31.20
spectrum amplification factors	24.10			
in studying shaft misalignment	39.38			
techniques in	16.17			
use of FFT in	14.22	14.25		
spectrum analysis, speed of	14.6			
nonstationary signals	14.26			
real-time	14.23			
time-window effect in	14.14			
zoom	14.17	14.19	16.16	
spectrum analyzers	14.1			
spectrum density	1.25			
spectrum interpretation	16.8			
spring	10.3	32.13		
Belleville	32.11			
coil	32.9			
hardening	22.6	31.10	31.14	31.24
helical	32.9			
ideal	2.1			
involute	32.11			
leaf	32.11			
linear	31.12			
metal	32.9			
nonlinearity	6.19			
parallel combination of	32.8			
ring	32.10			
selection of	32.9			
series combination of	32.8			
softening	31.10	31.15	31.24	
stiffness of	10.3	32.14		
wire mesh	32.11			

<u>Index terms</u>	<u>Links</u>			
spring-controlled system	2.10			
spring-mass system	4.2			
spring rate (<i>see dynamic stiffness</i>)				
stability diagram	21.56			
standard:				
primary	18.3			
reference	18.4			
transfer	18.4			
standard deviation	1.25	11.5	20.10	22.3
standards	19.1			
DoD	19.6	26.10	38.23	
international	19.3			
NASA	19.5			
organizations	19.7			
standards laboratories	18.3			
standing wave	1.25			
static deflection	2.4			
static hysteresis	36.21			
static stiffness	40.11			
stationary deterministic signals	14.22			
stationary faults	16.9			
stationary process	1.25			
stationary random process	11.2	22.1		
stationary random signals	14.22			
stationary signal	1.25			
stationary vibration environment	20.3			
statistical analysis	11.3			
statistical energy analysis	11.16	11.31	27.13	29.58
statistical methods of analysis	11.1			
statistical reliability test	20.6			
statistical sampling errors	22.18			
steady-state vibration	1.1	1.25		
steel, properties of		34.11		
step excitation	8.10	8.16	8.18	8.49
step function, unit	8.1	23.4		
step relaxation excitation	21.37			
step velocity	23.3			
stick-slip	5.16	40.6		
stiffness	1.25			
asymmetric	4.5	4.9		
coefficient of	2.20			
dynamic	1.19			
vs. static	32.18			
isolators	32.8			
in machine tools	40.11			
spring	10.3			
symmetric	4.7			

Index terms

Links

stimulus (<i>see excitation</i>)				
strain:				
in composites	35.6			
in metals	34.2			
strain energy vs. damping energy	36.6			
strain gages:				
accuracy of	17.6			
bonding techniques	17.6			
circuitry	17.11			
classification of	17.4			
construction of	17.2			
displacement measurements	17.7			
using				
force measurements using	17.9			
gage factor of	17.2			
instrumentation for	17.1	17.11		
measurements using	17.6	17.7	17.8	
pressure measurement using	17.9			
properties of	17.1			
selection of	17.4	17.13		
sensitivity of	17.2			
temperature effects on	17.3			
theory of	17.1			
transverse sensitivity	17.2			
velocity measurements using	17.8			
strain-hardening modulus	34.3			
strain-life method	34.15			
strength of materials				
(<i>see mechanical properties</i>)				
stress distribution	36.11			
stress intensity factor	34.16			
stress-life method	34.10			
stress-strain relationship	36.3			
in composites	35.6			
in metals	34.2			
stress-velocity relationship	26.2	41.20		
stretched string	4.3			
Strouhal number	29.9			
(<i>See also frequency, normalized</i>)				
structural damping	2.18			
uniform	2.29			
structural design	24.14	41.14		
structural-gravimetric calibrator	18.8			
structural model	23.2	27.11	28.29	41.17
structural vibration	24.1			
fluid-flow-induced	29.1			

Index terms**Links**

structural vibration (Cont.)		
ground-motion-induced	24.2	
sound-induced	29.47	
wave-induced	29.6	
wind-induced	29.21	
subharmonic response	1.25	4.14
subsynchronous components	16.8	
of vibration		
superharmonic response	1.25	4.10
superposition theorem	10.8	
survivability	12.9	
sweep speed	14.8	
swept sine-wave, slow	21.34	
swept sine-wave testing	20.4	20.17
symbols	1.5	
symmetric stiffness	4.7	
synchronous averaging	14.32	21.33
system response distribution	11.29	
tape recorders	13.11	13.12
task performance, effects of		
shock and vibration on	42.30	
tension loading of isolators	32.6	
terminology, standards for	19.2	
test:		
accelerated	20.15	
acoustic	29.64	
durability	20.16	
functional	20.16	
random	20.17	
sine-wave	20.17	
swept sine-wave	20.17	
test criteria	20.1	
test duration	20.13	
test failures	20.16	41.6
test fixture	20.18	25.21
test level	20.7	20.11
test load, definition of	25.1	
test specifications	20.1	
testing standards	19.5	
Thévenin's theorem	10.9	
three degrees-of-freedom system	2.31	
tilting support calibrator	18.8	
time-dependent failure	20.13	
mechanism		
time domain	21.7	
time history	1.26	
analysis of	22.1	

<u>Index terms</u>	<u>Links</u>		
time-varying functions	22.2		
time-window effect	14.14		
Timoshenko beam theory	7.18		
tolerance limit	20.9		
tool life	40.11		
tools (<i>see machine tools</i>)			
torsion loading of isolators	32.6		
torsional vibration	7.6		
in machinery	38.1		
model of	38.15		
total damping energy	36.6		
total least squares	21.21		
traceability of calibrations	18.2		
tracking analysis	14.30		
trajectories	4.34		
transducer	12.1		
acceleration measuring	12.4		
calibration of (<i>see transducer calibration</i>)			
capacitance-type	12.38		
classification of	12.2		
definition of	1.25	12.1	
displacement	12.38	16.4	
electrodynamic	12.35		
fixed reference	12.2		
frequency response	18.1		
hand-held	15.12		
high-frequency response	12.5		
low-frequency response	12.8		
mass-spring	12.2		
mountings for	15.5	15.10	
moving-coil differential transformer	12.36		
optical-electronic	12.32		
proximity probe	12.38		
seismic	12.2	12.6	12.36
selection of	15.4	16.4	
sensitivity	18.1		
velocity-type	12.36	16.4	
transducer calibration	18.1		
ballistic pendulum method of	18.18		
centrifuge method of	18.9		
comparison method	15.13	18.4	
drop-ball method of	18.19		
drop test method of	18.19		
earth's gravitational method	15.14	18.8	
electrodynamic exciter method	18.23		

<u>Index terms</u>	<u>Links</u>			
transducer calibration (Cont.)				
field methods	15.13			
free-fall method	15.13			
Fourier transform method of	18.22			
heterodyne interferometer	18.15			
method				
high-acceleration method of	18.15			
impact-force shock method of	18.20			
interferometer method of	18.10			
inversion method	15.14			
pendulum calibrator method of	18.8			
reciprocity method of	18.5			
rotating table method of	18.8			
shaker excitation method of	18.23			
shock excitation method of	18.20			
signal-nulling interferometer	18.14			
method of				
sinusoidal-excitation method of	18.15			
structural-gravimetric method of	18.8			
techniques of	15.13			
tilting-support method of	18.8			
transfer function method of	18.5			
vibration exciter method of	18.22			
transfer function				
(<i>see frequency response function</i>)				
transfer function measurements	21.21			
transfer impedance	1.25	12.30		
transfer matrix method	7.40	38.21		
transfer standard	18.4			
transient analysis	11.31	14.25	23.1	28.39
transient response	8.1	8.58	11.31	
transient vibration	1.1	1.25		
translational motion	2.1			
transmissibility	2.9	2.12	30.4	
absolute	30.1			
acceleration	30.15			
displacement	30.8	30.15	30.27	
force	2.7	30.17	30.26	
motion	2.7			
optimum	30.11			
relative	30.1	30.8	30.11	
at resonance	30.10			
shock	31.21	31.27		
transmission loss	1.25			
transportation environments	19.4	20.14	41.5	
transverse sensitivity	12.11	18.24		
transverse wave	1.26			

<u>Index terms</u>	<u>Links</u>		
trend analysis	16.7	16.23	
triangular weighting	14.25		
triboelectricity	15.19		
tuned damper	1.1	37.11	
<i>(See also dynamic vibration absorber)</i>			
tuned resonant fixtures	26.28		
turbomachinery, whirl	5.12	5.14	
turbulence, excitation by	29.28	29.54	
turbulence-induced oscillations	29.22		
two degrees-of-freedom system	31.27	31.34	38.17
U-tube	2.32		
ultimate tensile strength	34.2	34.13	
ultra-subharmonic response	4.14		
unbalance	40.2		
rotating	40.2		
sources of	39.10		
uncoupled mode	1.26		
uncoupled motion	30.1		
undamped motion	2.3		
undamped natural frequency	1.26		
unified matrix	21.47		
polynomial approach			
Uniform Building Code	24.17		
uniform mass damping	2.27	2.29	
uniform structural damping	2.29		
uniform viscous damping	2.27		
United States National Committee	19.1		
unit step function	23.4		
unstable imbalance	5.21		
USNC/IEC	19.1		
Van der Pol's equation	4.17		
variable-amplitude loading	34.17		
variable-capacitance accelerometer	12.39		
variance	1.26	11.5	22.3
computation of	22.17		
for nonstationary data	22.10		
vector cancellation method	38.26		
vehicle vibration	20.15	25.21	
velocity	1.26		
velocity-coil pickups	12.36		
velocity pickup	1.26	12.36	16.4
velocity response	2.10		
velocity shock	3.51	26.5	31.6

<u>Index terms</u>	<u>Links</u>			
velocity-squared damping	4.33			
velocity step, response of body to	31.6			
versed-sine force pulse	8.4			
versed-sine pulses	8.45	31.18		
vibrating beam test	37.18			
methods				
vibration:				
aerodynamically induced	29.1			
ambient	1.16			
bistable	5.20			
body-induced	3.42			
building	42.46			
complex	1.17			
control methods	1.2			
definition of	1.26			
deterministic	1.1			
effects on humans	42.1	42.20	42.30	
<i>(See also body)</i>				
equipment design to withstand	41.1			
fluid-flow-induced	29.1			
forced	1.1	2.7	2.8	
foundation-induced	3.42			
free	1.1	1.20	2.2	4.6
gear-induced	40.4			
longitudinal	7.6			
machine-tool	40.1			
nonlinear	4.1	4.6		
periodic	1.1			
random	1.1			
rotating shaft	5.6			
self-excited	4.17	5.1		
ship	19.6			
sound-induced	29.47			
steady-state	1.1	1.25		
structural	24.1			
subsynchronous components	16.8			
torsional	7.6			
<i>(See also torsional vibration)</i>				
transient	1.1	1.25		
vortex-induced	29.8	29.13	29.40	
wave-induced	29.6			
wind-induced	29.21			
vibration absorber	6.1	6.21	6.28	6.38
multimass	6.21			
pendulum	6.32	6.37		
<i>(See also Chaps. 5 and 7)</i>				

<u>Index terms</u>	<u>Links</u>	
vibration acceleration	1.26	
vibration acceleration level	1.26	
vibration analysis:		
cepstrum	16.21	
gated	16.22	
techniques	16.19	
vibration control,	40.11	
in machine tools		
vibration damping ring	6.39	
vibration data, analysis of	22.1	
vibration dose value	42.41	
vibration environment	20.2	
vibration exciters	25.1	25.15
electrodynamic	18.23	25.7
hydraulic	25.16	
impact	25.19	
mechanical	18.23	25.2
piezoelectric	18.23	25.18
vibration exposure,	42.49	
hand-transmitted		
vibration generator		
(<i>see vibration exciters</i>)		
vibration isolation	1.3	30.1
coupled modes in	30.24	
efficiency of	32.12	
of force	30.51	
of random vibration	30.43	
vibration isolation systems: active	32.16	
checking	32.15	
damping in	30.5	
servo-controlled	32.19	
vibration isolators	1.26	32.1
air	32.13	
ambient environments for	32.5	
application of	32.1	
Belleville	32.11	
biaxial stiffness	30.31	
coil spring	32.9	
commercial	32.16	
damping characteristics of	32.16	
dynamic stiffness	32.7	
elastomeric	32.1	32.2
fail-safe installation	32.7	
fatigue failure in	32.4	
helical spring	32.9	
hydraulically damped	32.18	
inclined	30.29	

Index terms

Links

vibration isolators (Cont.)		
installation of	32.7	
involute	32.11	
leaf	32.11	
location of	32.3	
materials for	32.6	
metal spring	32.9	
natural frequency of	30.41	32.16
nonlinear	30.38	
plastic	32.9	
pneumatic	32.13	
ring spring	32.10	
selection of	32.1	32.9
service life	32.6	
shear loading of	32.5	
specifications for	32.7	
standards for	19.3	
static stiffness of	32.18	
stiffness of	32.14	
tangent	30.39	
tension loading of	32.6	
torsion loading of	32.6	
unbonded	32.4	
wire mesh	32.11	
vibration machines	25.1	
circular motion machine	25.4	
direct drive	25.2	
electrodynamic	25.7	
hydraulic	25.16	
impact	25.19	
piezoelectric	25.18	
reaction type	25.4	
rectilinear	25.5	
vibration measurements	15.1	
data sheets for	15.22	
measurements, factors	15.3	
important in		
false alarms in	16.6	
field calibration techniques in	15.13	
instrumentation for	13.1	
parameters for	15.2	16.4
planning of	15.1	
techniques in	15.1	
time interval between measurements	16.5	
transducer locations for	16.5	
transducer selection in	15.4	

(See also Chap. 12)

Index terms

Links

vibration measurement system:					
calibration of	15.14				
wiring considerations for	15.18				
vibration meter	1.26	13.1	13.10		
vibration monitoring of machinery	16.1				
vibration mount (<i>see vibration isolators</i>)					
vibration pickup (<i>see accelerometers; transducer</i>)					
vibration problems, matrix forms of	28.9				
vibration reduction in rotating machinery	6.27				
vibration spectra:					
of machinery	16.17				
sideband patterns	16.17				
vibration standards	19.1				
vibration test:					
criteria for	20.1				
duration of	20.13				
magnitude of	20.11				
vibration test codes	19.1				
vibration testing	20.4	25.1	41.25		
digital control systems for machines for (<i>see vibration machines</i>)	27.19				
multiple-exciter applications	25.20	27.29			
vibration test specifications	20.1				
vibration transducer (<i>see pickup; transducer</i>)					
vibration troubleshooting in machinery	16.10	16.15			
vibrograph	1.26				
vibrometer	12.32				
laser-Doppler	12.32				
virtual mass effect	29.1				
virtual work	7.45	28.30			
viscoelastic damping	37.2				
viscoelastic materials	36.16	36.20			
viscous dampers	30.2	30.4			
viscous damping	1.26	2.5	2.9	4.3	8.52
equivalent	1.26				
uniform	2.27				
voltage preamplifiers	13.1				
voltage substitution method	15.16				
volume stress function	36.8				

<u>Index terms</u>	<u>Links</u>		
vortex-induced oscillation	29.35		
vortex-induced vibration	29.8		
vortex shedding	29.35		
vulcanizing agents	33.4		
wake buffeting	29.40		
wake-induced oscillations	29.23		
waterfall plot	14.28	22.26	
wave	1.26		
compressional	1.17		
wave-induced vibration	29.6		
wave interference	1.27		
wavelength	1.27		
weighting:			
rectangular	14.25		
triangular	14.25		
weighting functions	21.38		
for spectrum averaging	14.24		
welded joints	11.26	40.15	41.12
Wheatstone bridge	17.13		
whipping	5.2	5.11	5.12
whirl	5.14		
resonant	16.8		
whirling	5.2	5.9	
white fingers	42.49		
white noise	1.27	11.6	
Wigner distribution	22.11		
wind:			
characteristics of	29.24		
fluctuating components of	29.26		
gradient	29.25		
gustiness of	29.27		
mean velocity	29.25		
windows	14.14	14.16	14.18
Hamming	14.16		
Hanning	14.16		
wire mesh springs	32.11		
working reference standard	18.4		
workstations	27.3		
yield strength; metals	34.3		
zero period acceleration	24.16		
zero shift	12.9		
zone	20.9		
zone limit	20.9		
zoom analysis	14.9		
zoom demodulation	14.41		
zoom FFT analysis	14.26		
zoom spectrum	16.16		