



Standard Tables for Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P – 20P¹

This standard is issued under the fixed designation D7878/D7878M; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

INTRODUCTION

These tables were developed from data published by the U.S. Department of Commerce, Caesar Study, and Size USA Study, ASTM Misses Figure Type standard **D5585-11**, Current USA industry and Studies, Scans and documentation from Alvanon Inc.² This standard takes into consideration Misses Petite figure at a standard height of 5 ft 2½ in. (65 % of average USA population) taking into account the decrease and increase in body weight that shift a person from one size to another, while this person does not gain in height. Also included is a definition of body type, Curvy or Straight as applied to waist, high hip, hip/seat, thigh and mid-thigh girths that result in a different body shape (silhouette). Major review and evaluation was done. The incremental growth at different key body points has been addressed and defined, which resulted in identifying increases and decreases at different rates in specific areas; bust, waist, high hip and hip/seat. Additionally to better serve the industry, incremental movement between sizes was reviewed ensuring smooth transition between sizes. To verify the proposed body measurements, a three-dimensional Avatar was created in the Misses Petite size range 00P through 20P (Curvy and Straight) by Alvanon Inc. for a visual reference and is also attached in the documentation.

1. Scope

1.1 These tables list body measurements of adult female misses petite figure type sizes 00P through 20P. Although these are body measurements, they can be used as a baseline in designing apparel for Misses Petite in this size range when considering such factors as fabric type, ease for body movement, styling, and fit.

1.2 These tables list body measurements for the complete range of misses petite sizing.

1.3 The values stated in either SI units or inch-pound units are to be regarded separately as standard. The values stated in each system may not be exact equivalents; therefore, each system shall be used independently of the other. Combining values from the two systems may result in non-conformance with the standard.

1.4 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the*

responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

2. Referenced Documents

2.1 ASTM Standards:³

D123 Terminology Relating to Textiles

D5219 Terminology Relating to Body Dimensions for Apparel Sizing

D5585 Tables of Body Measurements for Adult Female Misses Figure Type, Size Range 00–20

2.2 ISO Standard:⁴

ISO 3635 Size Designation of Clothes, Definitions, and Body Measurement Procedures

3. Terminology

3.1 Definitions:

3.1.1 For definitions relating to body dimensions, refer to Terminology **D5219**.

¹ These tables are under the jurisdiction of ASTM Committee **D13** on Textiles and is the direct responsibility of Subcommittee **D13.55** on Body Measurement for Apparel Sizing.

Current edition approved July 1, 2013. Published August 2013. DOI: 10.1520/D7878-13.

² U.S. Department of Commerce, Voluntary Product Standard: Body Measurements for the Sizing of children's Apparel, NIST Publication No. PS 54-172, Washington DC.

³ For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

⁴ Available from American National Standards Institute (ANSI), 25 W. 43rd St., 4th Floor, New York, NY 10036, <http://www.ansi.org>.



3.1.2 For definitions of other textile terms used in this standard, refer to Terminology D123.

4. Significance and Use

4.1 The use of the body measurement information in Tables 1 and 2 will assist manufacturers in developing patterns and garments that are consistent with the current anthropometric characteristics of the population of interest. This practice should in turn reduce or minimize consumer confusion and dissatisfaction related to apparel sizing. (Also refer to ISO 3635 Size Designation Procedures.)

4.2 Three-dimensional avatars depicting each of the Misses Petite sizes and sub categories Curvy and Straight on certain measures were created by Alvanon, Inc. and included in this standard to assist manufacturers in visualizing the posture, shape, and proportions generated by the measurements charts in the accompanying Tables⁵ (Avatar 1-6) (see Figs. 1 and 2).

5. Apparatus

5.1 *Tape Measure*, dimensionally stable and approximately 1.5 cm [$\frac{1}{2}$ in.] wide and graduated accurately in cm [$\frac{1}{16}$ in.].

5.2 *Plastic Goniometer*, to measure the radian (degree) of shoulder slope.

5.3 *Scale*, standard, calibrated, body weight type.

5.4 *Metal Ruler*.

6. Procedure

6.1 General:

6.1.1 For all vertical and most horizontal measurements, subject is to be standing erect without shoes and with feet approximately 15-cm [6-in.] apart. (for Infant special cases) For all vertical and most horizontal measurements, subject is to be lying down flat with legs extended and foot positioned at 1.57 rad (90°) to the leg.

6.1.2 Take measurements over regular undergarments normally worn.

6.1.3 Take all measurements from the same side of the body for consistency.

6.1.4 Refer to Terminology D5219 for the location of all points to be measured.

6.2 Body Measurements:

6.2.1 *Body Weight*—Weight as measured on a calibrated scale taken with the subject in undergarments.

6.2.2 *Head Girth*—Measure the maximum horizontal circumference of the head above the ears.

6.2.3 *Neck Base Girth*—Measure the circumference of the neck, taken over the cervicale at the back and the top of the collarbone at the front.

6.2.4 *Mid-Neck Girth*—Measure the horizontal circumference of the neck, taken approximately 25 mm [1 in.] above the neck base level.

6.2.5 *Shoulder Girth*—Measure the horizontal circumference around the shoulders, taken at the front break-point level with the arms down.

6.2.6 *Chest/Bust Girth*—Measure the horizontal circumference around the body, taken under the arms and across the fullest part of the chest/bust apex including the lower portion of the shoulder blades.

6.2.7 *Under-Bust Girth*—Measure the horizontal circumference around the body under the arms and bust.

6.2.8 *Upper-Chest Girth*—Measure the horizontal circumference around the body, taken under the arms and above the fullest part of the chest/bust including the lower portion of the shoulder blades.

6.2.9 *Waist Girth*—Measure the minimum horizontal circumference around the body at waist height.

6.2.10 *High-Hip Girth*—Measure the maximum horizontal circumference around the body, taken at high hip level approximately 7.5 cm [3 in.] below the waist level including the abdominal extension.

6.2.11 *Hip/Seat Girth*—Measure the maximum horizontal circumference around the body at hip height.

6.2.12 *Thigh Girth*—Measure the maximum horizontal circumference of the upper leg, taken close to the crotch.

6.2.13 *Mid-Thigh Girth*—Measure the maximum horizontal circumference of the upper leg, taken midway between the hip girth level and the midpoint (or crease) of the knee.

6.2.14 *Knee Girth*—Measure the maximum horizontal circumference of the knee, taken over the kneecap with the leg straight.

6.2.15 *Calf Girth*—Measure the maximum horizontal circumference of the lower leg, taken between the knee and the ankle.

6.2.16 *Ankle Girth*—Measure the maximum horizontal circumference of the ankle, taken over the greatest prominence of the anklebones.

6.2.17 *Armseye Girth*—Measure the circumference from the shoulder joint through the front break-point, the armpit, the back break-point and to the starting point, taken with the arms down.

6.2.18 *Upper-Arm Girth*—Measure the maximum circumference of the arm, taken midway between the elbow and the shoulder joints with the arm bent 1.57 rad (90°).

6.2.19 *Elbow Girth*—Measure the maximum circumference of the elbow, taken over the outer prominence of the elbow bone with the arm bent 1.57 rad (90°).

6.2.20 *Wrist Girth*—Measure the maximum circumference of the wrist, taken over the inner and outer prominence of the wrist bones.

6.2.21 *Hand Girth*—Measure the maximum circumference of the hand around the knuckles excluding the thumb, taken with the fingers together.

6.2.22 *Trunk Length (total vertical)*—Measure the circumference taken from a point on the right shoulder midway between the neck base and the shoulder joint, down the back

⁵ 2000 CDC Growth Charts for the United States: Methods and Development, National Center for Health Statistics, Vital Health Stat 11 (246), 2002.



D7878/D7878M – 13

TABLE 1 Misses Petite 00P – 20P Body Measurements, SI Units

Size	00P	0P	2P	4P	6P	8P	10P	12P	14P	16P	18P	20P
Body Weight (Mean), kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Body Weight (Range), kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Girth Measurements, cm												
Head Girth	53.34	53.34	53.98	53.98	54.61	54.61	55.25	55.25	55.88	55.88	56.52	56.52
Neck Base Girth	33.66	34.29	34.93	35.56	36.20	37.15	37.78	38.42	39.37	40.01	40.64	41.59
Mid-Neck Girth	31.43	32.07	32.70	33.34	33.97	34.61	35.24	36.20	37.15	38.10	39.37	40.64
Shoulder Girth	92.08	93.66	95.25	96.84	98.74	100.65	102.55	104.14	106.68	109.86	113.03	116.52
Chest/Bust Girth	79.06	80.65	83.82	86.68	89.54	92.08	94.62	98.43	102.55	107.00	111.76	116.84
Under-Bust Girth	65.41	67.31	69.22	71.12	73.66	76.20	78.74	82.55	86.36	90.81	95.57	100.65
Upper-Chest Girth	80.01	81.28	83.82	86.04	88.27	90.17	92.71	95.89	99.06	102.55	106.68	110.81
Waist Girth—Curvy	61.91	63.82	65.72	67.63	69.85	72.39	74.93	79.38	83.82	88.90	94.62	100.33
Waist Girth—Straight	65.72	67.63	69.53	71.44	73.66	76.20	78.74	83.19	87.63	92.71	98.43	104.14
High-Hip Girth—Curvy	74.93	76.84	79.06	82.87	85.73	88.27	90.81	94.62	98.74	102.87	107.32	112.71
High-Hip Girth—Straight	75.57	77.47	79.69	83.50	86.36	88.90	91.44	95.25	99.38	103.51	107.95	113.35
Hip/Seat Girth—Curvy	86.36	87.95	91.12	94.30	97.16	99.70	102.24	106.05	109.86	114.30	118.75	123.83
Hip/Seat Girth—Straight	84.46	86.04	89.22	92.39	95.25	97.79	100.33	104.14	107.95	112.40	116.84	121.92
Thigh Girth—Curvy	52.07	53.02	53.98	54.93	56.20	57.47	58.74	60.96	63.18	66.68	69.85	73.03
Thigh Girth—Straight	51.12	52.07	53.02	53.98	55.25	56.52	57.79	60.01	62.23	65.41	68.58	71.76
Mid-Thigh Girth—Curvy	46.67	47.63	48.58	49.53	50.80	52.07	53.34	55.56	57.79	60.33	63.18	66.04
Mid-Thigh Girth—Straight	46.04	46.99	47.94	48.90	50.17	51.44	52.71	54.93	57.15	59.69	62.55	65.41
Knee Girth	32.07	32.39	33.02	33.66	34.93	35.88	36.83	38.10	39.37	40.64	41.91	43.18
Calf Girth	30.80	31.12	31.75	32.70	33.66	34.61	35.56	36.83	38.10	39.37	40.64	41.91
Ankle Girth	20.64	20.96	21.27	21.91	22.54	23.18	23.81	24.45	25.08	25.72	26.35	26.99
Armhole Girth	35.24	35.88	36.83	37.78	38.42	39.05	39.69	41.28	42.86	44.45	46.36	48.26
Upper-Arm Girth	24.77	25.40	26.04	26.67	27.31	28.26	29.21	29.85	30.80	31.75	33.02	34.61
Elbow Girth	23.18	23.50	23.81	24.13	24.45	24.77	25.08	25.72	26.35	26.99	27.94	30.16
Wrist Girth	13.02	13.34	13.65	14.61	14.92	15.24	15.56	15.88	16.19	16.51	16.83	17.15
Hand Girth	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trunk Length (total vertical girth)—Curvy	139.70	140.65	141.92	143.19	144.46	145.73	147.00	149.23	151.45	154.31	157.16	160.02
Trunk Length (total vertical girth)—Straight	139.38	140.34	141.61	142.88	144.15	145.42	146.69	148.91	151.13	153.99	156.85	159.70
Vertical Measurements, cm												
Height	158.75	158.75	158.75	158.75	158.75	158.75	158.75	158.75	158.75	158.75	158.75	158.75
Head and Neck Length	23.50	23.50	23.50	23.50	23.50	23.50	23.50	23.50	23.50	23.50	23.50	23.50
Cervicale Height	135.26	135.26	135.26	135.26	135.26	135.26	135.26	135.26	135.26	135.26	135.26	135.26
Cervicale to Crotch—Curvy	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87
Cervicale to Crotch—Straight	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87	62.87
Center Back Waist Length	39.05	39.05	39.05	39.05	39.05	39.05	39.05	39.37	39.69	40.01	40.32	40.64
Center Front Waist Length	33.66	33.97	34.29	34.61	34.93	35.24	35.24	35.56	35.88	36.20	36.51	36.83
Scye Depth	13.97	13.97	14.29	14.61	14.61	14.92	15.24	15.56	15.88	16.19	16.51	16.83
Side Waist Length	20.64	20.64	20.32	20.00	19.69	19.69	19.37	19.05	19.05	18.73	18.73	18.42
Waist to Hip/Seat Height—Curvy	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.69	19.69	19.69	19.69	19.69
Waist to Hip/Seat Height—Straight	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37
Waist to Knee Height—Curvy	55.88	55.88	55.88	55.88	55.88	55.88	55.88	56.20	56.20	56.20	56.20	56.20
Waist to Hip/Seat Length—Straight	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37	19.37
Waist to Knee Height—Curvy	55.88	55.88	55.88	55.88	55.88	55.88	55.88	56.20	56.20	56.20	56.20	56.20
Waist to Knee Height—Straight	55.88	55.88	55.88	55.88	55.88	55.88	55.88	55.88	55.88	55.88	55.88	55.88
Waist Height	97.79	97.79	97.79	97.79	97.79	97.79	97.79	97.79	97.79	97.79	97.79	97.79
Waist Height	97.47	97.47	97.47	97.47	97.47	97.47	97.47	97.47	97.47	97.47	97.47	97.47
High-Hip Height	88.90	88.90	88.90	88.90	88.90	88.90	88.90	88.90	88.90	88.90	88.90	88.90
Hip/Seat Height	78.42	78.42	78.42	78.42	78.42	78.42	78.42	78.42	78.42	78.42	78.42	78.42
Crotch Height	72.39	72.39	72.39	72.39	72.39	72.39	72.39	72.39	72.39	72.39	72.39	72.39
Rise Height	24.77	24.77	24.77	24.77	24.77	24.77	24.77	24.77	24.77	24.77	24.77	24.77
Knee Height	41.91	41.91	41.91	41.91	41.91	41.91	41.91	41.91	41.91	41.91	41.91	41.91
Ankle Height	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35
Width and Length Measurements, cm												
Crotch Length (total)	59.69	60.33	60.96	61.60	62.23	62.87	63.82	64.77	66.04	67.31	68.58	69.85
Shoulder Length	11.75	11.75	11.75	12.07	12.07	12.38	12.38	12.38	12.38	12.70	13.02	13.02
Shoulder Slope	19.875°	19.75°	19.625°	19.5°	19.375°	19.25°	19.125°	18.875°	18.5°	18.125°	17.75°	17.25°
Shoulder Drop	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13
Across Back Shoulder Width	35.56	35.88	36.51	37.15	37.47	38.10	38.42	38.74	39.37	40.32	41.28	42.23
Across Front Shoulder Width	35.88	36.20	36.83	37.47	38.10	39.05	39.37	39.69	40.32	41.28	42.23	43.18
Upper Back Width	33.02	33.66	34.29	34.93	35.56	36.20	36.51	36.83	37.47	38.42	39.37	40.32
Upper Front Chest Width	30.80	31.43	32.07	32.70	33.34	33.97	34.61	34.93	35.56	36.51	37.47	38.42
Back Width	32.07	32.39	33.02	33.66	34.61	35.24	35.88	36.51	37.15	38.10	39.05	40.32
Front Chest Width	31.75	32.07	33.02	33.97	35.24	35.88	36.83	37.78	39.05	40.01	41.59	43.18
Bust Point to Bust Point	16.83	17.15	17.78	18.42	19.05	19.69	20.32	20.96	21.59	22.23	22.86	23.50
Neck to Bust Point	24.13	24.45	24.77	25.08	25.40	25.72	26.04	26.67	27.31	27.94	28.58	29.21
Bust Point to Bust Point (Halter)	63.50	64.45	65.41	66.36	67.31	68.26	69.22	70.80	72.39	73.98	75.57	77.47
Cervicale to Wrist Length	71.12	71.44	71.76	72.07	72.39	72.71	72.71	72.71	73.03	73.66	73.98	74.61
Shoulder and Arm Length	64.77	64.77	65.41	65.72	65.72	66.04	66.04	66.04	66.04	66.36	66.68	66.99
Arm Length	53.02	53.34	53.34	53.34	53.34	53.66	53.66	53.66	53.66	53.66	53.66	53.98
Hand Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hand Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



TABLE 2 Missy Petite 00P – 20P Body Measurements, Inch-Pound Units

Size	00P	0P	2P	4P	6P	8P	10P	12P	14P	16P	18P	20P
Body Weight (Mean), lb	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Body Weight (Range), lb	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Girth Measurements, inches												
Head Girth	21	21	21 ¼	21 ¼	21 ½	21 ½	21 ¾	21 ¾	22	22	22 ¼	22 ¼
Neck Base Girth	13 ¼	13 ½	13 ¾	14	14 ¼	14 ½	14 ¾	15 ⅛	15 ½	15 ¾	16	16 ⅜
Mid-Neck Girth	12 ⅝	12 ⅞	12 ⅞	13 ⅛	13 ⅜	13 ⅝	13 ⅞	14 ¼	14 ⅝	15	15 ½	16
Shoulder Girth	36 ¼	36 ⅞	37 ½	38 ⅛	38 ⅞	39 ⅝	40 ⅜	41	42	43 ¼	44 ½	45 ⅞
Chest/Bust Girth	31 ⅞	31 ¾	33	34 ⅞	35 ¼	36 ¼	37 ¼	38 ¾	40 ⅝	42 ⅞	44	46
Under-Bust Girth	25 ¾	26 ½	27 ¼	28	29	30	31	32 ½	34	35 ¾	37 ⅝	39 ⅝
Upper-Chest Girth	31 ½	32	33	33 ⅞	34 ¾	35 ½	36 ½	37 ¾	39	40 ⅝	42	43 ⅝
Waist Girth—Curvy	24 ⅜	25 ⅞	25 ⅞	26 ⅝	27 ½	28 ½	29 ½	31 ¼	33	35	37 ¼	39 ½
Waist Girth—Straight	25 ⅞	26 ⅝	27 ⅝	28 ⅞	29	30	31	32 ¾	34 ½	36 ½	38 ¾	41
High-Hip Girth—Curvy	29 ½	30 ¼	31 ⅞	32 ⅝	33 ¾	34 ¾	35 ¾	37 ¼	38 ⅞	40 ½	42 ¼	44 ⅜
High-Hip Girth—Straight	29 ¾	30 ½	31 ⅝	32 ⅞	34	35	36	37 ½	39 ⅞	40 ¾	42 ½	44 ⅝
Hip/Seat Girth—Curvy	34	34 ⅝	35 ⅞	37 ⅞	38 ¼	39 ¼	40 ¼	41 ¾	43 ¼	45	46 ¾	48 ¾
Hip/Seat Girth—Straight	33 ¼	33 ⅞	35 ⅞	36 ⅝	37 ½	38 ½	39 ½	41	42 ½	44 ¼	46	48
Thigh Girth—Curvy	20 ½	20 ⅞	21 ¼	21 ⅝	22 ⅞	22 ⅞	23 ⅞	24	24 ⅞	26 ¼	27 ½	28 ¾
Thigh Girth—Straight	20 ⅞	20 ½	20 ⅞	21 ¼	21 ¾	22 ¼	22 ¾	23 ⅝	24 ½	25 ¾	27	28 ¼
Mid-Thigh Girth—Curvy	18 ⅝	18 ¾	19 ⅞	19 ½	20	20 ½	21	21 ⅞	22 ¾	23 ¾	24 ⅞	26
Mid-Thigh Girth—Straight	18 ⅞	18 ½	18 ⅞	19 ¼	19 ¾	20 ¼	20 ¾	21 ⅝	22 ½	23 ½	24 ⅝	25 ¾
Knee Girth	12 ⅝	12 ¾	13	13 ¼	13 ¾	14 ⅞	14 ½	15	15 ½	16	16 ½	17
Calf Girth	12 ⅞	12 ¼	12 ½	12 ⅞	13 ¼	13 ⅝	14	14 ½	15	15 ½	16	16 ½
Ankle Girth	8 ⅞	8 ¼	8 ⅝	8 ⅞	8 ⅞	9 ⅞	9 ⅞	9 ⅞	9 ⅞	10 ⅞	10 ⅞	10 ⅞
Armhole Girth	13 ⅞	14 ⅞	14 ½	14 ⅞	15 ⅞	15 ⅞	15 ⅞	16 ¼	16 ⅞	17 ½	18 ¼	19
Upper-Arm Girth	9 ¾	10	10 ¼	10 ½	10 ¾	11 ⅞	11 ½	11 ¾	12 ⅞	12 ½	13	13 ⅝
Elbow Girth	9 ⅞	9 ¼	9 ⅝	9 ½	9 ⅞	9 ¾	9 ⅞	10 ⅞	10 ⅞	10 ⅞	11	11 ⅞
Wrist Girth	5 ⅞	5 ¼	5 ⅝	5 ¾	5 ⅞	6	6 ⅞	6 ¼	6 ⅝	6 ½	6 ⅝	6 ¾
Hand Girth	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trunk Length (total vertical girth)—Curvy	55	55 ⅝	55 ⅞	56 ⅝	56 ⅞	57 ⅝	57 ⅞	58 ¾	59 ⅝	60 ¾	61 ⅞	63
Trunk Length (total vertical girth)—Straight	54 ⅞	55 ¼	55 ¾	56 ¼	56 ¾	57 ¼	57 ¾	58 ⅝	59 ½	60 ⅝	61 ¾	62 ⅞
Vertical Measurements, inches												
Height, inches	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½	62 ½
Head and Neck Length	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼	9 ¼
Cervicale Height	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼	53 ¼
Cervicale to Crotch—Curvy	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾
Cervicale to Crotch—Straight	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾	24 ¾
Center Back Waist Length	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	15 ⅝	16
Center Front Waist Length	13 ¼	13 ⅝	13 ½	13 ⅝	13 ¾	13 ⅞	13 ⅞	14	14 ⅞	14 ¼	14 ⅝	14 ½
Scye Depth	5 ½	5 ½	5 ⅝	5 ¾	5 ¾	5 ⅞	6	6 ⅞	6 ¼	6 ⅝	6 ½	6 ⅝
Side Waist Length	8 ⅞	8 ⅞	8	7 ⅞	7 ¾	7 ¾	7 ¾	7 ½	7 ½	7 ⅝	7 ⅝	7 ¼
Waist to Hip/Seat Height—Curvy	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ¾	7 ¾	7 ¾	7 ¾	7 ¾	7 ¾
Waist to Hip/Seat Height—Straight	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞	7 ⅞
Waist to Knee Height—Curvy	22	22	22	22	22	22	22	22 ½	22 ½	22 ½	22 ½	22 ½
Waist to Knee Height—Straight	22	22	22	22	22	22	22	22	22	22	22	22
Waist Height—Curvy	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½	38 ½
Waist Height—Straight	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝	38 ⅝
High-Hip Height	35	35	35	35	35	35	35	35	35	35	35	35
Hip/Seat Height	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞	30 ⅞
Crotch Height	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½	28 ½
Rise Height	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾	9 ¾
Knee Height	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½	16 ½
Ankle Height	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½	2 ½
Width and Length Measurements, inches												
Crotch Length (total)	23 ½	23 ¾	24	24 ¼	24 ½	24 ¾	25 ⅞	25 ½	26	26 ½	27	27 ½
Shoulder Length	4 ⅞	4 ⅞	4 ⅞	4 ¾	4 ¾	4 ⅞	4 ⅞	4 ⅞	4 ⅞	5	5 ⅞	5 ⅞
Shoulder Slope	19.875°	19.75°	19.625°	19.5°	19.375°	19.25°	19.125°	18.875°	18.5°	18.125°	17.75°	17.25°
Shoulder Drop	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞	1 ⅞
Across Back Shoulder Width	14	14 ⅞	14 ⅝	14 ⅝	14 ¾	15	15 ⅞	15 ¼	15 ½	15 ⅞	16 ¼	16 ⅝
Across Front Shoulder Width	14 ⅞	14 ¼	14 ½	14 ¾	15	15 ⅝	15 ½	15 ⅝	15 ⅞	16 ¼	16 ⅝	17
Upper Back Width	13	13 ¼	13 ½	13 ¾	14	14 ¼	14 ⅝	14 ½	14 ¾	15 ⅞	15 ½	15 ⅞
Upper Front Chest Width	12 ⅞	12 ⅝	12 ⅝	12 ⅞	13 ⅞	13 ⅞	13 ⅞	13 ¾	14	14 ⅝	14 ¾	15 ⅞
Back Width	12 ⅞	12 ¾	13	13 ¼	13 ⅝	13 ⅞	14 ⅞	14 ⅝	14 ⅝	15	15 ⅝	15 ⅞
Front Chest Width	12 ½	12 ⅝	13	13 ⅝	13 ⅞	14 ⅞	14 ½	14 ⅞	15 ⅝	15 ¾	16 ⅝	17
Bust Point to Bust Point	6 ⅞	6 ¾	7	7 ¼	7 ½	7 ¾	8	8 ¼	8 ½	8 ¾	9	9 ¼
Neck to Bust Point	9 ½	9 ⅝	9 ¾	9 ⅞	10	10 ⅞	10 ¼	10 ½	10 ¾	11	11 ¼	11 ½
Bust Point to Bust Point (Halter)	25	25 ⅝	25 ¾	26 ⅞	26 ½	26 ⅞	27 ¼	27 ⅞	28 ½	29 ⅞	29 ¾	30 ½
Cervicale to Wrist Length	28	28 ⅞	28 ¼	28 ⅞	28 ½	28 ⅞	28 ⅞	28 ⅞	28 ¾	29	29 ⅞	29 ⅞
Shoulder and Arm Length	25 ½	25 ½	25 ¾	25 ⅞	25 ⅞	26	26	26	26	26 ⅞	26 ¼	26 ⅝
Arm Length	20 ⅞	21	21	21	21	21 ⅞	21 ⅞	21 ⅞	21 ⅞	21 ⅞	21 ⅞	21 ¼
Hand Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hand Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A




FIG. 1 Missy Petite Avatar Curvy

through the crotch and up over the prominence of the right chest/bust apex to the starting point, avoiding constriction at the crotch.

6.2.23 Height—Measure the vertical distance from the crown of the head to the floor, taken with subject standing and without shoes.

6.2.24 Head and Neck Length—Measure the distance from the crown of the head to the cervicale (contour), taken with the head erect and the neck unbent.

6.2.25 Cervicale Height—Measure the vertical distance from the cervicale to the floor, taken with subject standing and without shoes.

6.2.26 Cervicale to Knee—Measure the vertical distance from the cervicale to a point level with the mid-point of the back of the knee (or crease).

6.2.27 Center Back Waist Length—Measure from the cervicale to the center back waist level, taken along the spine (contour).

6.2.28 Center Front Waist Length—Measure from the center front neck base line to the center front waist level (contour).

6.2.29 Scye Depth—Measure the vertical distance from the cervicale to the back break-point level, taken with the arms down.

6.2.30 Side Waist Length—Measure the distance from the mid-underarm point of the armscye to the waist level, taken along the side of the body (contour).

6.2.31 Waist to Hip/Seat Height—Measure the distance from the waist level to the hip girth level, taken along the side of the body (contour).

6.2.32 Waist to Knee Height—Measure the vertical distance from the waist level to a point level with the midpoint of the back of the knee (or crease), taken along the side of the body.

6.2.33 Waist Height—Measure the distance from the waist level to the hip girth level along the side of the body (contour) then vertically to the floor, taken with subject standing and without shoes.

6.2.34 High-Hip Height—Measure the distance from the high-hip girth level to the hip girth level along the side of the body (contour) then vertically to the floor, taken with the subject standing and without shoes.

6.2.35 Hip/Seat Height—Measure the vertical distance from the hip girth level to the floor along the side of the body, taken with subject standing and without shoes.

6.2.36 Crotch Height—Measure the vertical distance from the midpoint of the crotch to the floor, taken with the subject standing and without shoes.




FIG. 2 Missy Petite Avatar Straight

6.2.37 *Rise Height*—Measure the vertical distance from the waist level at the side of the torso to the flat surface, taken with subject sitting on hard, flat surface.

6.2.38 *Knee Height*—Measure the vertical distance from the midpoint of the back of the knee (or crease) to the floor, taken with subject standing and without shoes.

6.2.39 *Ankle Height*—Measure the vertical distance from the prominence of the outer ankle bone to the floor, taken with subject standing and without shoes.

6.2.40 *Crotch Length (total)*—Measure the distance from waist level at the center front, through the crotch and to the waist level at the center back, avoiding constriction at the crotch.

6.2.41 *Shoulder Length*—Measure the distance from the side of the neck base to the top of the shoulder joint, taken with the arm down.

6.2.42 *Shoulder Slope*—Measure the degree of difference between the shoulder slant and the horizontal line that originates at the side neck base, taken with a goniometer positioned on the shoulder and moved until the baseline is parallel to the floor.

6.2.43 *Shoulder Drop*—Measure the vertical distance from the side of the neck base to the top of the shoulder joint, taken with the arm down.

6.2.44 *Across Back Shoulder Width*—Measure the horizontal distance across the back from the top of one shoulder joint to the top of the other shoulder joint, taken with the arms down.

6.2.45 *Upper Back Width*—Measure the horizontal distance across the back from back break-point to back break-point over the shoulder blades, taken with the arms down.

6.2.46 *Upper Front Chest Width*—Measure the horizontal distance across the chest from the front break-point, taken with the arms down.

6.2.47 *Back Width*—Measure the horizontal distance across the back from back break-point to back break-point over the shoulder blades, taken with the arms down.

6.2.48 *Front Chest Width*—Measure the horizontal distance across the chest from the front break-point, taken with the arms down.

6.2.49 *Bust Point to Bust Point*—Measure the horizontal distance from bust apex to bust apex, taken with the arms down.

6.2.50 *Neck to Bust Point*—Measure the distance from the side of the neck base to the bust apex (contour), taken with the arms down.

6.2.51 *Bust Point to Bust Point (Halter)*—Measure the distance from the bust apex around the neck base to the bust apex (contour), taken with the arms down.



6.2.52 *Cervicale to Wrist*—Measure the distance from the cervicale over the top of the shoulder joint, along the outside of the arm, over the elbow to the prominent wrist bone, taken with the arm bent 1.57 rad (90°) and the hand placed on the hip.

6.2.53 *Shoulder and Arm Length*—Measure the distance from the side of the neck base across the shoulder joint and along the outside of the arm over the elbow to the prominent wrist bone, taken with the arm bent 1.57 rad (90°) and the hand placed on the hip.

6.2.54 *Arm Length*—Measure the distance from the top of the shoulder joint along the outside of the arm over the elbow to the prominent wrist bone, taken with the arm bent (1.57 rad or 90°) and the hand placed on the hip.

6.2.55 *Hand Length*—Measure the straight distance from the prominence of the longest finger to the inner wrist bone, taken across the palm of the hand with fingers together and palm flat (use a stable, flat ruler).

6.2.56 *Hand Width*—Measure the maximum width across the palm of the hand excluding the thumb, taken with fingers together and palm flat (use a stable, flat ruler).

6.2.57 *Foot Length*—Measure the straight distance from the prominence of the back of the heel to the prominence of the longest toe, taken with the foot on a flat surface without shoes (use stable, flat ruler).

6.2.58 *Foot Width*—Measure the straight distance from one side of the foot to the other side at the widest part, taken with the subject standing and without shoes (use stable, flat ruler).

7. Keywords

7.1 apparel; body measurements; garment sizes; infants; tables

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org). Permission rights to photocopy the standard may also be secured from the ASTM website (www.astm.org/COPYRIGHT/).