



Standard Specification for Liquid Chlorine¹

This standard is issued under the fixed designation E 1120; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

1. Scope*

1.1 This specification covers industrial grade chlorine normally available as a liquid in pressurized metal containers.

1.2 The values stated in SI units are to be regarded as standard. The values given in parentheses are for information only.

1.3 Review the current Material Safety Data Sheets (MSDS) for detailed information concerning toxicity, first aid procedures, handling and safety precautions.

1.4 The following safety hazards caveat pertains only to the test methods listed in Sections 3 and 4. *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 *ASTM Standards:*²

E 410 Test Method for Moisture and Residue in Liquid Chlorine

E 1746 Test Method for Sampling and Analysis of Liquid Chlorine for Gaseous Impurities

2.2 *Federal Documents:*

Federal Specification PPP-C-2020A, Chemicals, Liquid, Dry, and Paste, Packaging of (supersedes PPP-C-2020)³

Title 49 CFR, Department of Transportation, Parts 100 to 199⁴

¹ This specification is under the jurisdiction of ASTM Committee E15 on Industrial and Specialty Chemicals and is the direct responsibility of Subcommittee E15.02 on Product Standards.

² Current edition approved April 1, 2008. Published May 2008. Originally approved in 1986. Last previous edition approved in 2002 as E 1120–97(2002).

³ For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

⁴ Single copies of Federal Specifications required for bidding purposes are available from General Services Administration Business Service Centers in Boston, New York, Washington, DC, Philadelphia, Atlanta, Chicago, Kansas City, MO, Fort Worth, Houston, San Francisco, Los Angeles, and Seattle, WA.

⁵ The Code of Federal Regulations may be obtained from the U.S. Government Printing Office, 732 N. Capitol St. NW, Washington, DC 20401, <http://www.gpoaccess.gov/CFR/index.html>.

Title 40 CFR, Protection of the Environment, Parts 162 to 180⁴

Title 29 CFR, Labor, Part 1910.1200, New Requirements as to Container Labeling, Occupational Safety and Health Administration (OSHA)⁴

3. Chemical Requirements

3.1 Liquid chlorine shall conform to the following requirements:

		ASTM Test Method
Gaseous impurities, % volume (v/v) (% by vol)	0.5 max	E 1746
Moisture, % mass (m/m) (% by weight)	0.015 max	E 410
Nonvolatile material, % mass (m/m) (% by weight)	0.015 max	E 410

4. Sampling

4.1 Sample liquid chlorine in accordance with the appropriate sections of Test Method **E 1746**.

5. Packaging and Package Marking

5.1 Package and label industrial and commercial quantities in accordance with Department of Transportation CFR **Title 49** Part 100 to 199, and state and local regulations.

5.2 When specified, Department of Defense Procurements shall be packaged and labeled in accordance with the applicable paragraphs of **Federal Specification PPP-C-2020A**.

5.3 Label chlorine to be used as a pesticide in accordance with the applicable regulations of the Environmental Protection Agency as described in CFR **Title 40**, Parts 162 to 180.

5.4 Labeling also must comply with OSHA regulations described in CFR **Title 29** Part 1910 and Section 1910.1200 as published in 48 Federal Register 53280.

6. Keywords

6.1 chlorine; liquid

*A Summary of Changes section appears at the end of this standard.

SUMMARY OF CHANGES

Committee E15 has identified the location of selected changes to this standard since the last issue (E 1120–97(2002)) that may impact the use of this standard.

- | | |
|---|---|
| (1) Updated units of measure to comply with the International System of Units (SI). | (3) Added MSDS and safety hazards caveats to Scope. |
| (2) Added subsection to Scope stating that SI units are considered standard. | (4) Added Summary of Changes section. |

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).