



Standard Guide for Evaluation of Exterior Building Wall Materials, Products, and Systems¹

This standard is issued under the fixed designation E 1825; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide covers guidance to design professionals in the evaluation of materials, products, or systems with which they are not familiar and to help determine that the selected materials, products, or systems are suitable for use on or as a part of an exterior building wall.

1.2 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 *ASTM Standards:*²

E 631 Terminology of Building Constructions

3. Terminology

3.1 There are no terms in this standard that require definition other than as provided by Terminology E 631.

4. Significance and Use

4.1 This guide may be used by design professionals and others in the building construction industry to provide factual support for professional judgment of materials, products, or systems during the design development of new and remedial exterior building wall construction.

4.2 This guide is intended to provide guidance to the user of this standard in the evaluation and qualification of materials, products, or systems with which they do not have substantial, long-term experience or that are intended to be employed in a new or different manner. The standard may be used to investigate and assess the probable performance of such

materials, products, or systems in relation to the proposed use on or as part of an exterior building wall.

4.3 The procedures outlined in Section 5 will help guide the user in making informed selections based on the materials, products, or systems performance history on constructed projects and provide information on limitations of use, the manufacturer's performance history, and current status. The use of this guide will reduce, but not eliminate, the risk of in-service performance problems with materials, products, or systems.

4.4 The procedures listed in this standard are intended for use in selecting materials, products, or systems that are critical to the safety, function, or serviceability of a building, or where they constitute substantial components of the work. The recommendations in this guide are not applicable to all materials, products, or systems that can be incorporated in buildings. The user must exercise appropriate judgment and care regarding the need when applying the various procedures included in this guide, including the use of the form included in Appendix X1, with regard to particular materials, products, or systems, and specific buildings. Materials, products, or systems that will be used for a noncritical or incidental use usually do not require an exhaustive evaluation. Materials, products, or systems with which the user has first-hand experience do not generally require an exhaustive evaluation since many of the evaluation tasks listed herein should have been performed previously.

4.5 Appendix X1 is provided for the user of this guide as a tool in organizing their thoughts and approach to application of the guide. It may also provide useful documentation to the user for both the building under current consideration and as a future reference for other buildings. Other forms of documentation may be developed by contract agreements or requirements of authorities having jurisdiction.

NOTE 1—Often components of exterior building wall construction are tested in the laboratory to help assure adequate performance. Laboratory evaluation of materials, products, or systems is not described in this guide.

5. Investigation

5.1 Technical information from sellers, manufacturers, or distributors.

¹ This guide is under the jurisdiction of ASTM Committee E06 on Performance of Buildings and is the direct responsibility of Subcommittee E06.55 on Exterior Building Wall Systems.

Current edition approved Dec. 1, 2006. Published December 2006. Originally approved in 1996. Last previous edition approved in 2003 as E 1825 – 96 (2003).

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For Annual Book of ASTM Standards volume information, refer to the standard's Document Summary page on the ASTM website.

5.1.1 Obtain a list of projects where the materials, products, or systems for each project were used, including:

5.1.1.1 Dates of installation;

5.1.1.2 Name of project, address, owner, contact persons, type of use, phone number;

5.1.1.3 Name of contractor, subcontractor, contact persons, address, phone number; and

5.1.1.4 Name of engineer or architect, contact persons, address, phone number.

5.1.2 Obtain pertinent research reports, test data, and certifications for the materials, products, or systems from inception to help evaluate current characteristics, changes, and their uses over time.

5.1.3 Ask the manufacturers for a listing of specific changes in the materials, products, or systems over time including improvements, changes in physical and chemical components, geometry, production methods, and quality control.

5.1.4 Obtain specifications, tech sheets, safety recommendations, installation standards, compatibility tests, approval of public authorities and industry associations, and compliance with ASTM and industry standards.

5.1.5 Obtain the manufacturer's written response as to suitability of the products for their intended uses after supplying the manufacturer(s) with anticipated use conditions for the materials, products, or systems including the project description, specifications, and drawings.

5.1.6 Documentation of the materials, products, or systems evaluation is encouraged by this guide. However, documentation and the use of the form of **Appendix X1** is a decision left to the judgment and needs of the user.

5.1.7 Evaluate the production capacity and quality control measures of the manufacturer. If necessary, visit production, curing, storage, and shipping facilities.

5.1.8 Obtain specific technical background and test results for factual confirmation and quantification where the manufacturer's literature contains general characterizations such as breathable, ultraviolet (UV) resistant, waterproof, corrosion-resistant, fire-resistant, and similar claims.

5.2 Past performance.

5.2.1 Contact owners, designers, contractors, and maintenance organizations with first-hand experience regarding the materials, products, or systems to assess performance history. Note the effect of different uses and climates on performance and durability.

5.2.2 Visit completed installations to observe the materials, products, or systems in place, being careful to assure they are used in a manner similar to the contemplated use. Visit new and old installations to evaluate the effects of aging and in-service exposure. Where possible, visit installations reflecting applications and exposure conditions similar to the contemplated use.

5.2.3 Review maintenance requirements for the material, product, or system. Compare them to probable maintenance procedures to be expected for the proposed application. Consider these issues:

5.2.3.1 Available funds and resources for maintenance;

5.2.3.2 Owners' history of maintenance performance;

5.2.3.3 Availability of qualified maintenance personnel trained in required procedures and methods; and

5.2.3.4 Accessibility for maintenance.

5.2.4 Verify availability and capability of mechanics with specific and successful experience in installing and servicing the materials, products, or systems.

5.2.5 Investigate problems uncovered during this evaluation to attempt to isolate design, workmanship, and manufacturing factors contributing to the problem.

5.3 Manufacturer's performance.

5.3.1 Review and evaluate warranty documents and evaluate the warranter's willingness to act on warranted provisions.

5.3.2 Verify the level of post construction technical support that may be expected. Determine if help is likely to be available promptly and from technically knowledgeable personnel should the need arise during or after construction.

5.4 Literature survey.

5.4.1 Review published information about the materials, products, or systems, or similar generic products and their limitations. Record specific examples of buildings where these or similar materials, products, or systems have been used successfully.

5.4.2 Check with local and national code organizations and code enforcing agencies for changes, approvals, and limitations of use for the materials, products, or systems.

5.4.3 Examine technical references and performance data to consider weaknesses and limitations and to assist in determining a length of performance record.

5.4.4 Examine publications of the regulatory and approval agencies for the country of origin and for nondomestic materials, products, or systems that do not have domestic approvals and test reports.

5.5 Summary of selection judgment.

5.5.1 Make a judgment of the desirability of incorporating the materials, products, or systems into the project. Considerations to include, among others, are first cost; anticipated service life; required maintenance; and consequence of inadequate performance, such as the ease or difficulty of repair or replacement should the materials, products, or systems prove to be deficient.

5.5.2 Inform the owner of the building for which the materials, products, or systems are intended about the state of knowledge of the materials, products, or systems; the risks involved in their use for the subject building; and the advantages and disadvantages associated with their use including specific information discovered during the evaluation process.

5.6 **Appendix X1** is intended to provide a tool for the user of the Standard in organizing his or her thoughts and approach to applying the guide. It can also be used to document the results of his or her findings for the building under consideration, and for future reference on other buildings.

6. Keywords

6.1 evaluation; exterior building wall; materials; products; systems



APPENDIX

X1. EVALUATION FORM FOR EXTERIOR WALL MATERIALS, PRODUCTS, AND SYSTEMS

X1.1 Report Form (see Fig. X1.1 and Fig. X1.2)

NOTE 1—Numbers indicated in parenthesis (X.X) refer to specific sections of this guide.

NOTE 2—Wherever form does not provide sufficient room for recording required information, record the required information on an attachment and provide reference at the appropriate location.

NOTE 3—It is recommended that a separate form be used for each information source contacted.

NOTE 4—If information sufficient for evaluation cannot be found, that fact should also be recorded.

Evaluation Form for Exterior Wall Materials

PROJECT INFORMATION

Name:
Location:
Owner ID Number:
Owner:
Owner Contact:

EVALUATOR INFORMATION

Firm:
Individual:
Date of Evaluation:
Project Number/Identification:

MATERIAL, PRODUCT, OR SYSTEM BEING CONSIDERED

(indicate which is being considered)

Specification or CSI/MasterFormat Reference Number:
Product:
System:
Material:

INFORMATION SOURCE

(indicate sources of information)

MANUFACTURER

Name:
Address:
Individual:
Title/Function:
Telephone/Fax/E-mail:

TECHNICAL PUBLICATION

Title:
Date:
Publisher/Author:

TRADE ORGANIZATION

Name:
Address:
Individual:
Title:

INSTALLING CONTRACTOR

Name:
Address:
Individual:
Title:

DESIGN PROFESSIONAL

Firm Name:
Address:
Individual:

BUILDING OWNER

Name:
Address:
Individual:
Title:

FIG. X1.1 Evaluation Form for Exterior Wall Materials, Products, and Systems

**TECHNICAL INFORMATION(5.1)**

(indicate items that apply to this application)

☐ Test Report
☐ Performance Improvements
☐ Change
☐ Reason
☐ Physical Properties
☐ Components
☐ Production Methods
☐ Fabrication Methods
☐ Installation Methods
☐ Quality Control

APPLICATION PERFORMANCE HISTORY(5.2)

Referred by (Name):

Organization:

Title:

Reference Application:

Address:

Telephone/Fax/E-mail:

HISTORY

Date of Installation:

Contractor/Subcontractor:

Contact Person:

Address:

Telephone/Fax/E-mail:

MAINTENANCE REQUIREMENTS

Required Maintenance:

Maintenance Frequency:

Consequences of Non-Compliance:

Warranty Requirement:

Owner Maintenance Ability/History:

Funding Available for Maintenance:

Building Use/Occupancy Distribution Potential by Required Maintenance:

Accessibility for Maintenance:

Availability of Maintenance Providers Region:

MANUFACTURER'S PAST PERFORMANCE(5.3)**REFERENCE**

Name:

Title:

Organization:

Contact Information:

EXPERIENCE

Manufacturers Performance

Warranty Performance:

Responsiveness:

LOCAL OR REGIONAL INSTALLING CONTRACTORSAre trained and experienced local or regional installing contractors available
for the intended application? Please indicate.Yes ☐ No ☐Are trained and experienced local or regional maintenance contractors available
for the intended application? Please indicate.Yes ☐ No ☐**LITERATURE SURVEY(5.4)**

Conditions of Use:

Limitations:

Time in Service/On Market:

Code Compliance:

Example Installations/Use:

SUMMARY OF EVALUATION

Date:

Recommendation:

Manufacturers Recommended Limitations:

Recommended Limitations:

Discussions with Owner:

Date:

Individual:

Primary Points of Discussion:

FIG. X1.2 Evaluation Form for Exterior Wall Materials, Products, and Systems (continued).

X1.1.1 The following report form provides a suggested procedure of following the recommendations for evaluation of exterior wall materials, products, and systems as indicated in this guide. This form is intended as an aid for documenting an evaluation. The evaluator may desire to retain this form for future reference.

X1.1.2 If the information in this form is referenced in the future for a different use or application of the same material, product, or system, a follow-up evaluation is recommended to ensure that the original information is current and appropriate to the new application.

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).