

Construction drawings — Designation systems —

Part 1: Buildings and parts of buildings

The European Standard EN ISO 4157-1:1998 has the status of a
British Standard

ICS 01.100.30

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



National foreword

This British Standard is the English language version of EN ISO 4157-1:1998 and is identical with ISO 4157-1:1998. It partially supersedes BS 1192-1:1984 which is withdrawn. It should be noted that the transition level between one storey and another recommended in clause 7.2 and Figure 6, and the method of designating slabs and beams in 7.5 and Figure 8, conflict with UK practice, which defines a storey, for the purpose of numbering and referencing, as comprising of one floor and its walls.

The UK participation in its preparation was entrusted by Technical Committee B/212, Tolerances, drawing practice, modular co-ordination, joints, project information and computer modelling, to Subcommittee B/212/2, Construction drawing practice, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN ISO title page, page 2, the ISO title page, pages ii to iv, pages 1 to 6 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Sector Committee for Building and Civil Engineering, was published under the authority of the Standards Committee and comes into effect on 15 April 1999

© BSI 03-2000

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	2
Foreword	iii
Text of ISO 4157-1	1

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 4157-1

December 1998

ICS 01.100.30

Descriptors: See ISO document

English version

Construction drawings — Designation systems —
Part 1: Buildings and parts of buildings

(ISO 4157-1:1998)

Dessins de bâtiment — Systèmes de
désignation —
Partie 1: Bâtiments et parties de bâtiments
(ISO 4157-1:1998)

Zeichnungen für das Bauwesen —
Bezeichnungssysteme —
Teil 1: Gebäude und Gebäudeteile
(ISO 4157-1:1998)

This European Standard was approved by CEN on 21 November 1998.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

© 1998 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 4157-1:1998 E

Foreword

The text of the International Standard ISO 4157-1:1998 has been prepared by Technical Committee ISO/TC 10 "Technical drawings, product definition and related documentation" in collaboration with CEN/CS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 1999, and conflicting national standards shall be withdrawn at the latest by June 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 4157-1:1998 was approved by CEN as a European Standard without any modification.

NOTE Normative references to International Standards are listed in Annex ZA (normative).

EN ISO 4157-1:1998

INTERNATIONAL STANDARD

**ISO
4157-1**

Second edition
1998-12-01

Construction drawings — Designation systems —

Part 1: Buildings and parts of buildings

Dessins de bâtiment — Systèmes de désignation —

Partie 1: Bâtiments et parties de bâtiments



Reference number
ISO 4157-1:1998(E)

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Type designations	2
5 Individual designations	2
6 Designation code	2
6.1 Principal designation	2
6.2 Additional designations	2
7 Designation application	3
7.1 Buildings	3
7.2 Storeys	3
7.3 Parts of storeys	4
7.4 Floors	4
7.4.1 General	4
7.4.2 Room numbers	4
7.4.3 Room identifiers	5
7.5 Load-bearing structure elements	5
Annex ZA (normative) Normative references to international publications with their relevant European publications	6
Figure 1 — Example of type designations	2
Figure 2 — Example of individual designations	2
Figure 3 — Example of designation of buildings	3
Figure 4 — Example of designation of parts of buildings	3
Figure 5 — Numbering of storeys	3
Figure 6 — Transition between storeys	4
Figure 7 — Designation of parts of a storey	4
Figure 8 — Example of designating columns, slabs, walls and beams in the second storey	5

Descriptors: Drawings, technical drawings, architectural drawings, buildings, building elements, components, designation.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 4157-1 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*, Subcommittee SC 8, *Construction documentation*.

This second edition cancels and replaces the first edition (ISO 4157-1:1980), which has been technically revised.

ISO 4157 consists of the following parts, under the general title *Construction drawings — Designation systems*:

- *Part 1: Buildings and parts of buildings;*
- *Part 2: Room names and numbers;*
- *Part 3: Room identifiers.*

1 Scope

This part of ISO 4157 specifies requirements for designation systems and a designation code for buildings, including spaces, building elements and components.

2 Normative references

The following standards contain provisions, which through reference in this text, constitute provisions of this part of ISO 4157. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 4157 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 4157-2:1998, *Construction drawings — Designation systems — Part 2: Room names and numbers*.

ISO 4157-3:1998, *Construction drawings — Designation systems — Part 3: Room identifiers*.

3 Definitions

For the purposes of this part of ISO 4157, the following definitions apply.

3.1

room

area or volume, space or void bounded actually or theoretically, even though it is not traditionally thought of as a room

EXAMPLES

- Balcony in a movie theatre
- Staircase (considered to be a separate room in each floor)
- Auditorium with folding doors
- Partly covered terrace
- Atrium (even without a roof)
- Ventilation shafts (considered to be a separate room on each floor)
- Elevator shafts (considered to be a separate room on each floor)
- Void in ceiling

NOTE A room in the numbering context may or may not be completely enclosed by walls, ceiling, and floor. However, for a room to be allocated a room number, it should have some of these physical limitations.

3.2

room name

common or given name which represents the intended use or function of the room

NOTE 1 Rooms in the same building may have identical room names, e.g. CLASSROOM. It is not necessary to differentiate them, e.g. CLASSROOM A, CLASSROOM B, etc.

NOTE 2 Additions to room names such as B and 3, as in CLASSROOM B, BEDROOM 3, should only be assigned to room names if they are so called in the practical use of the building. Given names like CHOPIN or TAYLOR should in such instances be preferred, e.g. CHOPIN AUDITORIUM, TAYLOR SUITE, etc., for their mnemonic value.

3.3

room number

number allocated to a room

NOTE 1 See 3.1.

NOTE 2 Room number in the traditional sense is reserved for the practical use of a building, i.e. the interface between building and human beings. Room numbers may be revised by thorough reallocation when important changes are made, such as remodelling, extensions, or new ownership. The time for the changeover and its implications should be documented.

3.4

room identifier

positive integer number allocated to a room, preceded by the prefix I#

NOTE See ISO 4157-3.

4 Type designations

Different objects shall be classified according to type, e.g. the kind or design of the object (see Figure 1).




Figure 1 — Example of type designations

5 Individual designations

Each separate object shall be identified. The individual designation is often an indication of position (see Figure 2).




Figure 2 — Example of individual designations

6 Designation code

The complete designation shall consist of a principal and an additional designation.

6.1 Principal designation

The principal designation shall indicate the category of objects at different levels in the documentation. It should consist of

- a) text in full, e.g. HOUSE, ROOM, WINDOW, DOOR, FENCE, CUT-OFF VALVE;
- b) abbreviation, e.g. H, R, W, D, F, COV respectively;
- c) systematic numeric or letter designation, e.g.;
 - 1 for doors, 2 for windows, 3 for parts, etc.;
 - A for playground equipment, B for outdoor furniture, C for other equipment, etc.;
- d) designation according to a general classification and coding system.

The principal designation may be omitted when the rest of the documentation shows the intention.

6.2 Additional designations

The additional designations shall indicate a further specification within the category. They should consist of

- a) letters and numerals for type designations;

EXAMPLE

W12b, where W is the principal designation for window, 12 is the additional designation for type, material, dimensions, etc., and b is the additional designation for variant, e.g. notch for a window sill.

b) letters or numerals in running order.


EXAMPLE

P1, P2, P3, etc., where P is the principal designation for pillar, and 1, 2, 3 etc. the individual designation of each pillar. The individual designation may also consist of coordinates.


7 Designation application

7.1 Buildings

Buildings belonging to the same project shall be indicated with a principal and an individual designation, for example HOUSE 1, HOUSE 2, etc. (see Figure 3).



The designation for a part of a building shall consist of a principal designation, completed with a systematic letter or numeric designation, for example HOUSE 2 PART 1, HOUSE 2 PART 2, HOUSE 2 PART 3, etc. (see Figure 4).




7.2 Storeys

A storey is the space between two consecutive floor planes or the space between a floor plane and a roof, bounded by physical limits (floors, ceiling and walls), including its exterior walls and other relevant parts of the building (see Figure 6).

Each storey shall be consecutively numbered from the bottom to the top, starting with 1 at the lowest level usable for any purpose (see Figure 5).

Zero shall designate the space which is situated immediately below the lowest level usable for any purpose.



The numbering applies not only to the usable space of a given storey but also to the physical limits bounding this space, for example the load-bearing floor and ceilings above the storey, the walls and the ceilings in the storey, etc.

The upper face level of the load-bearing building part indicates the transition level from one storey to the next storey (see Figure 6).




Figure 6 — Transition between storeys

When there are differences in level inside a building, for example mezzanine, offset level, landing, ramp, etc., every necessary indication shall be given in order to avoid errors. These indications shall be in the form of levels or listed abbreviations and placed beside the numbering of the storey concerned.

Staircases shall have the same numbering as the storey in which they are situated, whether or not they have half-landings.

7.3 Parts of storeys

The designation for the part of a storey, when the documentation is divided into several drawings, shall consist of the designation of the storey, completed by a systematic numeric or letter designation, for example STOREY 3 PART 1, STOREY 3 PART 2, STOREY 3 PART 3, etc. (see Figure 7).




Figure 7 — Designation of parts of a storey

7.4 Floors

7.4.1 General

For the purposes of this part of ISO 4157, the term “floor” corresponds to the concept of the English term “floor” as the logically numbered floor relative to ground level: i.e. first floor, second floor, etc.

The floors shall be numbered in running order according to the nationally accepted practice in the country where the building is located. In countries where the numbering rule given in ISO 4157-1:1980 has been widely implemented, this shall be taken for the nationally accepted practice.

7.4.2 Room numbers

Nationally accepted practice for numbering of ground floor, mezzanines, and floors below ground level using letters shall be the basis for room numbering in accordance with ISO 4157-2.

7.4.3 Room identifiers

Storey numbering using digits only, as specified in 7.2, shall be the basis for room identifiers in accordance with ISO 4157-3.

7.5 Load-bearing structure elements

Columns, slabs, walls, beams, etc., should normally be designated using four alphanumeric characters, unless the number of storeys or elements exceeds such a limit.

The first numeral(s) in the additional designation indicates the storey number (see 7.2 and ISO 4157-2) and the two last numerals are running numbers (see Figure 8).

EXAMPLES

Columns = C201, C202

Slabs = S201, S202

Walls = W201, W202

Beams = B201, B202




Figure 8 — Example of designating columns, slabs, walls and beams in the second storey

Annex ZA (normative)

Normative references to international publications with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

Publication	Year	Title	EN	Year
ISO 4157-2	1998	<i>Construction drawings — Designation systems — Part 2: Room names and numbers</i>	EN ISO 4157-2	1998
ISO 4157-3	1998	<i>Construction drawings — Designation systems — Part 3: identifiers</i>	EN ISO 4157-3	1998

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.
Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.
Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.
Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager.
Tel: 020 8996 7070.