

Construction drawings — Designation systems —

Part 2: Room names and numbers

The European Standard EN ISO 4157-2:1998 has the status of a
British Standard

National foreword

This British Standard is the English language version of EN ISO 4157-2:1998. It is identical with ISO 4157-2:1998.

The UK participation in its preparation was entrusted by Technical Committee B/212, Tolerances, drawing practice, modular co-ordination, joints, project information and computer modelling, to Subcommittee B/212/2, Construction drawing practice, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

Attention is drawn to the fact that CEN and CENELEC standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement these international or European publications may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN ISO title page, page 2, the ISO title page, pages ii to iv, pages 1 to 4 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Sector Committee for Building and Civil Engineering, was published under the authority of the Standards Committee and comes into effect on 15 April 1999

© BSI 03-2000

ISBN 0 580 32314 5

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	2
Foreword	iii
Text of ISO 4157-2	1

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 4157-2

December 1998

ICS 01.100.30

Descriptors: See ISO document

English version

Construction drawings — Designation systems —
Part 2: Room names and numbers

(ISO 4157-2:1998)

Dessins de bâtiment — Systèmes de
désignation —
Partie 2: Noms et numéros de pièces
(ISO 4157-2:1998)

This European Standard was approved by CEN on 21 November 1998.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

© 1998 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 4157-2:1998 E

Foreword

The text of the International Standard ISO 4157-2:1998 has been prepared by Technical Committee ISO/TC 10 *Technical drawings, product definition and related documentation* in collaboration with CEN/CS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 1999, and conflicting national standards shall be withdrawn at the latest by June 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 4157-2:1998 was approved by CEN as a European Standard without any modification.

NOTE Normative references to International Standards are listed in Annex ZA (normative).

EN ISO 4157-2:1998

INTERNATIONAL STANDARD

**ISO
4157-2**

Second edition
1998-12-01

Construction drawings — Designation systems —

Part 2: Room names and numbers

Dessins de bâtiment — Systèmes de désignation —

Partie 2: Noms et numéros de pièces



Reference number
ISO 4157-2:1998(E)

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative reference	1
3 Definitions	1
4 Room number principle	1
Annex ZA (normative) Normative references to international publications with their relevant European publications	4
Figure 1 — Example of room names and numbers in the third storey	1
Figure 2 — Example of a small room without room name	2
Figure 3 — Example of a room with closet	3

Licensed Copy: sheffieldun sheffieldun, na, Wed Nov 15 05:04:55 GMT+00:00 2006, Uncontrolled Copy, (c) BSI

Descriptors: Drawings, technical drawings, architectural drawings, buildings, rooms, numbers, designation.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 4157-2 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*, Subcommittee SC 8, *Construction documentation*.

This second edition cancels and replaces the first edition (ISO 4157-2:1982), which has been technically revised.

ISO 4157 consists of the following parts, under the general title *Construction drawings — Designation systems*:

- *Part 1: Buildings and parts of buildings;*
- *Part 2: Room names and numbers;*
- *Part 3: Room identifiers.*

1 Scope

This part of ISO 4157 specifies requirements for designation systems for rooms, areas, spaces, and voids in buildings by room names and numbers. It is intended for identification of rooms in the daily use of the buildings.

For identification of rooms in a project throughout its life-cycle, i.e. conception, programming, planning, erection, maintenance, remodelling and demolition phases, see ISO 4157-3.

2 Normative reference

The following standard contains provisions, which through reference in this text, constitute provisions of this part of ISO 4157. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 4157 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 4157-1:1998, *Construction drawings — Designation systems — Part 1: Buildings and parts of buildings*.

3 Definitions

For the purposes of this part of ISO 4157, the definitions given in ISO 4157-1 apply.

4 Room number principle

4.1 Logical order

Room numbers shall be assigned to all rooms on each floor in a logical order, preferably consecutive, starting with number n01 (where n indicates floor number) within the limits of all the parts of the building. Such limits need not be physical walls, so that outdoor or covered areas which are appropriate to include in the numbering system may be assigned room numbers, e.g. an enclosed garden, a pool area, a carport, a covered loggia and in-between spaces.

4.2 Separate buildings

If several buildings are included in one building project, room numbers shall be allocated independently to each building in accordance with 4.1. Separate buildings may be adjacent to each other, and may be interconnected by doors or openings.

4.3 Indication on drawings

4.3.1 General

The room numbers and the assigned room names of the rooms shall be indicated within each room on the appropriate drawings (see Figure 1).

<u>324</u> <u>RECEPTION</u>	<u>325</u> <u>STAIRCASE</u>	<u>326</u> <u>CONFERENCE ROOM</u>
-----------------------------	-----------------------------	-----------------------------------

Figure 1 — Example of room names and numbers in the third storey

For clarity, room numbers and room names shall be underlined on drawings.

In the physical building, the identical designation (e.g. as shown in Figure 1) shall be posted clearly at the door or by the opening to the respective room, however not underlined. This does not apply in reverse, e.g. from an office back to the corridor.

4.3.2 Small rooms

In small rooms, it is sufficient to indicate only the room numbers on drawings, as shown in Figure 2.




Figure 2 — Example of a small room without room name

However, the room names of such small rooms shall be indicated in tabular form on the same drawing sheet, unless a symbol meaning toilet, sink, clothes rack, etc., clearly advises its use.

4.4 Numbering rules

4.4.1 Room number

A room number should preferably be given as a two-digit number preceded by the floor number of the building. The two-digit numbers are consecutive numbers, allocated to each room in the storey in question.

EXAMPLE

Floor 1:	Room numbers 101–199
Floor 2:	Room numbers 201–299
Floor 3:	Room numbers 301–399
...	
Floor 17:	Room numbers 1701–1799
etc.	

Two-, four-, or five-digit room numbers shall only be used in extremely small or large buildings where zeroes (0) are decidedly not superfluous or necessary. When two- or four-digit room numbers are chosen, all room numbers in a building shall have the same number of digits, except for the floors that have a floor number greater than 9.

EXAMPLE

Floor 1:	Room numbers 11–19	or 1001–1999
Floor 2:	Room numbers 21–29	or 2001–2999
Floor 3:	Room numbers 31–39	or 3001–3999
...		
Floor 17:	Room numbers 171–179	or 17001–17999
etc.		

4.4.2 "ROOM 0" principle

No room shall be numbered zero on any floor, i.e. room numbers such as 20, 300, 4 000 shall not be used for rooms. Such room numbers are reserved for the eventual need to number the exterior of a building. "ROOM 0" shall be the engulfing exterior on all sides.

EXAMPLE 1

"ROOM 300" means the exterior of the third floor.

EXAMPLE 2

A wall between 300 and 317 is an exterior wall between room 317 and the outside, just as a wall between 317 and 319 is an interior wall between rooms 317 and 319.

4.4.3 Alphanumeric rule

Four-digit room numbers shall not be interspaced or interpunctuated.

Rooms on the ground floor, mezzanine, in basement, under grade level, etc., may be assigned room numbers such as G01, M02, B03 or U04 to comply with the floor designation.

EXAMPLES

Floor G:	Room numbers G01–G99
Floor B:	Room numbers B01–B99

4.5 Numbering sequence

4.5.1 Direction of numbering

Room numbering for each floor shall be done so that orientation in the building is facilitated. It should be done clockwise in the order that the rooms are reached from the main entrance or in an alternative logical order.

In buildings such as hotels, or in countries where such numbering is conventional, rooms should be numbered in an ascending order on both sides of a corridor in a zig-zag manner.

4.5.2 Omission of room numbers

Room numbers may be omitted from a complete succession if judicious logic permits, e.g. rooms in three wings from one elevator may be numbered 401 – 426, 431 – 452, and 461 – 474, omitting several room numbers for the sake of clarity or a future reserve.

4.5.3 Vertical shafts

It is advisable, if possible, that staircases, elevator shafts, etc., be allocated the same room numbers on all floors:

EXAMPLE

Floor 1:	112 STAIRCASE,	or 113 ELEVATOR
Floor 2:	212 STAIRCASE,	or 213 ELEVATOR
Floor 3:	312 STAIRCASE,	or 313 ELEVATOR
...		
Floor 17:	1712 STAIRCASE,	or 1713 ELEVATOR
etc.		

4.6 Small rooms and spaces

Small rooms, such as toilets, shall be provided with room numbers. Spaces, such as cupboards, may be allocated the number of the room in which they are situated followed by a lower-case letter as the appropriate suffix (see Figure 3).




Figure 3 — Example of a room with closet

4.7 Additional rooms

If a new room is added so late in the design process that the room numbering is already allocated, this additional room shall be given the next available unused room number for that floor, without regard to a logical geometrical order and numbering sequence. This is done to avoid confusion, and may be revised at the next thorough reallocation of room numbers throughout the building.

4.8 Fusion of rooms

There may be logical gaps in a room-numbering sequence. When rooms are combined into one room, the resulting room shall keep the lower number.

EXAMPLE

Rooms 127, 128 and 134 are combined into room 127. The resulting absence of 128 and 134 constitutes a logical gap.

4.9 Combination of rooms

If three or more rooms are rebuilt into two or more rooms, the lowest room numbers available shall be used for the resulting rooms. However when existing doors and door signs are left untouched, the existing room numbers shall be kept.

4.10 Basements and attics

Spaces in basements and attics shall be given room numbers starting with their appropriate floor number in accordance with ISO 4157-1.

Annex ZA (normative)**Normative references to international publications with their relevant European publications**

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

Publication	Year	Title	EN	Year
ISO 4157-1	1998	<i>Construction drawings — Designation systems — Part 1: Buildings and parts of buildings</i>	EN ISO 4157-1	1998
ISO 4157-3	1998	<i>Construction drawings — Designation systems — Part 3: Room identifiers</i>	EN ISO 4157-3	1998

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.