

Technical drawings — General principles of presentation —

Part 20: Basic conventions for lines

The European Standard EN ISO 128-20:2001 has the status of a British Standard

ICS 01.100.01

National foreword

This British Standard is the official English language version of EN ISO 128-20:2001. It is identical with ISO 128-20:1996.

The UK participation in its preparation was entrusted to Technical Committee TDW/4, Engineering drawing, metrology, precision measurement and all related documentation, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, the EN ISO foreword page, the ISO title page, pages ii and iii, a blank page, pages 1 to 10, an inside back cover and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Consumer Products and Services Sector Committee, was published under the authority of the Standards Committee on 15 January 2001

© BSI 24 April 2002

ISBN 0 580 36233 7

Amendments issued since publication

Amd. No.	Date	Comments
13522	24 April 2002	Implementation of the European Standard

English version

**Technical drawings - General principles of presentation - Part
20: Basic conventions for lines (ISO 128-20:1996)**

Dessins techniques - Principes généraux de représentation
- Partie 20: Conventions de base pour les traits (ISO 128-
20:1996)

This European Standard was approved by CEN on 30 September 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

The text of the International Standard from Technical Committee ISO/TC 10 "Technical drawings, product definition and related documentation" of the International Organization for Standardization (ISO), the secretariat of which is held by CMC.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2002, and conflicting national standards shall be withdrawn at the latest by April 2002.

NOTE FROM CMC The foreword is susceptible to be amended on reception of the German language version. The confirmed or amended foreword, and when appropriate, the normative annex ZA for the references to international publications with their relevant European publications will be circulated with the German version.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

INTERNATIONAL
STANDARD

ISO
128-20

First edition
1996-11-15

**Technical drawings — General principles
of presentation —**

Part 20:

Basic conventions for lines

Dessins techniques — Principes généraux de représentation —

Partie 20: Conventions de base pour les traits



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 128-20 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*, Subcommittee SC 1, *Basic conventions*.

This first edition is based on ISO 128:1982, clause 3, and it replaces the rules specified in that clause.

ISO 128 consists of the following parts, under the general title *Technical drawings — General principles of presentation*:

- *Part 20: Basic conventions for lines*
- *Part 21: Preparation of lines by CAD systems*
- *Part 23: Lines on construction drawings*

Further parts of ISO 128 are planned, covering other general principles of presentation including those for the application of lines within drawings of various technical fields.

Annex A of this part of ISO 128 is for information only.

Introduction

ISO 128-20 was prepared as ISO/DIS 12011-1.

ISO 128-20 contains generally applicable rules for the presentation of lines in all kinds of technical product documentation.

The application of lines within drawings of special technical fields varies considerably. Therefore rules of application are not given in this part of ISO 128.

Other International Standards containing rules for lines in specialized fields are listed in annex A.

Technical drawings — General principles of presentation —

Part 20: Basic conventions for lines

1 Scope

This part of ISO 128 establishes the types of lines, their designations and their configurations, as well as general rules for draughting of lines used in technical drawings, e.g. diagrams, plans or maps.

2 Definitions

For the purposes of this part of ISO 128, the following definitions apply.

2.1 line: Geometrical object, the length of which is more than half of the line width and which connects an origin with an end in any way, e.g. straight, curved, without or with interruptions.

NOTES

- 1 The origin and the end may coincide with one another, e.g. in the case of a line forming a circle.
- 2 A line, the length of which is less than or equal to half of the line width, is called a dot.
- 3 A test should be made in order to check the appearance of drawings intended to be microcopied or transferred by fax.

2.2 line element: Single part of a non-continuous line, e.g. dots, dashes, which vary in length, and gaps.

2.3 line segment: Group of two or more different line elements which form a non-continuous line, e.g. long dash/gap/dot/gap/dot/gap.

3 Types of lines

3.1 Basic types

Table 1

No.	Representation	Description
01		continuous line
02		dashed line
03		dashed spaced line
04		long dashed dotted line
05		long dashed double-dotted line
06		long dashed triplicate-dotted line
07		dotted line
08		long dashed short dashed line
09		long dashed double-short dashed line
10		dashed dotted line
11		double-dashed dotted line
12		dashed double-dotted line
13		double-dashed double-dotted line
14		dashed triplicate-dotted line
15		double-dashed triplicate-dotted line

3.2 Variations of the basic types of lines

Possible variations of the basic types of lines in accordance with table 1 are given in table 2.

Table 2

Representation	Description
	uniform wavy continuous line
	uniform spiral continuous line
	uniform zigzag continuous line
	freehand continuous line
NOTE — Table 2 contains only variations of the basic type of line No. 01. Variations of the basic types Nos. 02 to 15 are possible and are presented in the same way.	

3.3 Combinations of lines with the same length

3.3.1 Arrangement of two or more lines parallel to each other

For examples see figure 1.




Figure 1

3.3.2 Arrangement of two different types of lines

a) With different line widths superimposed.

See figure 2 a) and b) for examples [figure 2 a): a continuous and a dotted line; figure 2 b): a continuous and a dashed spaced line].



Figure 2

b) Arranged next to each other.

See figure 3 for an example (two continuous lines either side of two dashed spaced lines).



Figure 3

3.3.3 Arrangement of two continuous lines parallel to each other with regularly recurring connecting elements between them

See figure 4 a) and b) for examples [figure 4 a): blackened circular elements; figure 4 b): blackened trapezoidal elements].



Figure 4

3.3.4 Arrangement of regularly recurring geometric pictorial elements in association with continuous lines

- a) Without interruption of a continuous line.

See figure 5 for examples.




Figure 5

- b) With interruption of a continuous line.

See figure 6 for examples.




Figure 6

4 Line dimensions

4.1 Line width

The width, d , of all types of lines shall be one of the following depending on the type and size of the drawing. This series is based on a common ratio $1:\sqrt{2}$ ($\approx 1:1,4$):

0,13 mm; 0,18 mm; 0,25 mm; 0,35 mm; 0,5 mm; 0,7 mm; 1 mm; 1,4 mm; 2 mm

The widths of extra wide, wide and narrow lines are in the ratio 4:2:1.

The line width of any one line shall be constant throughout the whole line.

4.2 Deviation in line width

Line widths may deviate from those specified in 4.1 providing that it is possible to differentiate unambiguously between two adjacent lines with different widths. If drawing equipment which produces constant line width is used, the deviation in line width between two such lines shall not be greater than $\pm 0,1d$.

4.3 Configuration of lines

For the preparation of drawings by hand the lengths of line elements should conform to those of table 3.

Table 3

Line element	Line type No.	Length
Dots	04 to 07 and 10 to 15	$\leq 0,5d$
Gaps	02 and 04 to 15	$3d$
Short dashes	08 and 09	$6d$
Dashes	02, 03 and 10 to 15	$12d$
Long dashes	04 to 06, 08 and 09	$24d$
Spaces	03	$18d$
NOTE — The lengths shown in this table are valid for line elements with semi-circular and squared ends. In the case of line elements with semicircular ends, the length of the line element corresponds to the distance covered by a technical pen (with a tubular tip and using India ink) from the origin up to the end of the line element. The total length of such a line element is the sum of the length shown in table 3 plus d .		

Formulae for the calculation of some of the basic types of line and line elements are given in ISO 128-21. The formulae are intended to facilitate the preparation of drawings using computer-aided design (CAD) systems.

5 Draughting of lines

5.1 Spacing

The minimum space between parallel lines should not be less than 0,7 mm, unless rules to the contrary are stated in other International Standards.

NOTE 4 In certain cases when computer-aided drawing techniques are used, the spacing of lines on the drawing does not represent the actual spacing, e.g. for the representation of screw threads. This fact has to be considered when data sets are established, e.g. for the operation of machine tools.

5.2 Junctions

5.2.1 Types

The basic types of lines, Nos. 02 to 06 and Nos. 08 to 15 should preferably meet at a dash; see figures 7 to 12.




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12

Lines of basic type No. 07 should preferably meet at a dot, see figure 13.




Figure 13

5.2.2 Representation

The requirement of 5.2.1 shall be fulfilled by starting the lines at the junction (see figure 14) or by using a complete, or partial, cross formed by dashes (see figures 15 and 16).




Figure 14




Figure 15




Figure 16

5.3 Location of a second line

Two different ways of draughting two parallel lines are shown in figure 17 a) and b). The preferred version is shown in figure 17 a) (the second line is drawn below or to the right of the first line).




Figure 17

6 Colours

Lines shall be drawn in black or white depending on the colour of the background. Other standardized colours may also be used for drawing standardized lines. In this case, the meaning of the colours shall be explained.

7 Designation

The designation of the basic types of lines shall comprise the following elements in the order given:

- "Line";
- reference to this part of ISO 128;
- the number of the basic type in accordance with table 1;
- the line width in accordance with 4.1;
- the colour (if applicable).

EXAMPLES

Designation of a line of type No. 03 (03), line width 0,25 mm (0,25):

Line ISO 128-20 - 03 × 0,25

Designation of a line of type No. 05 (05), line width 0,13 mm (0,13) and white in colour:

Line ISO 128-20 - 05 × 0,13 / white

Annex A

(informative)

Bibliography

- [1] ISO 128-21:1996¹⁾, *Technical drawings — General principles of presentation — Part 21: Preparation of lines by CAD systems.*
- [2] ISO 1219-1:1991, *Fluid power systems and components — Graphic symbols and circuit diagrams — Part 1: Graphic symbols.*
- [3] ISO 3511-1:1977, *Process measurement control functions and instrumentation — Symbolic representation — Part 1: Basic requirements.*
- [4] ISO 3511-2:1984, *Process measurement control functions and instrumentation — Symbolic representation — Part 2: Extension of basic requirements.*
- [5] ISO 3511-3:1984, *Process measurement control functions and instrumentation — Symbolic representation — Part 3: Detailed symbols for instrument interconnection diagrams.*
- [6] ISO 3511-4:1985, *Industrial process measurement control functions and instrumentation — Symbolic representation — Part 4: Basic symbols for process computer, interface, and shared display/control functions.*
- [7] ISO 5455:1979, *Technical drawings — Scales.*
- [8] ISO 6428:1982, *Technical drawings — Requirements for microcopying.*
- [9] ISO 10628-1:1996¹⁾, *Flow diagrams for process plants — Part 1: General rules.*

1) To be published.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.
Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001.
Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.
Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.
Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.
Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager.
Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553.
Email: copyright@bsi-global.com.